

BCA's Behavioral Health Diagnosis Coding Booklet

Table of Contents

BCA Disclaimer	2
Psychiatric and Related Conditions.....	3
Chronic Pain and Substance Use Disorders.....	6
Social Determinants of Health (SDoH)	9



BCA's Diagnosis Coding Booklets are intended to be used as tools for diagnosis code selection in conjunction with the HIPAA mandated current, published coding guidelines for appropriate application and reporting.

From the American Medical Association ICD-10-CM 2021 The Complete Official Codebook:

“Diagnosis coding guidelines for outpatient diagnoses have been approved for use by hospitals/providers in coding and reporting hospital-based outpatient services and provider-based office visits. Guidelines in Section I, Conventions, general coding guidelines and chapter-specific guidelines, should also be applied for outpatient services and office visits.”

“These guidelines are a set of rules that have been developed to accompany and complement the official conventions and instructions provided within the ICD-10-CM itself. The instructions and conventions of the classification take precedence over guidelines. These guidelines are based on the coding and sequencing instructions in the Tabular and Alphabetic Index of ICD-10-CM, but provide additional instruction. **Adherence to these guidelines when assigning ICD-10-CM diagnosis codes is required under the Health Insurance Portability and Accountability Act (HIPAA).**”

For additional BCA resources, including BCA's most current guidance on COVID-19 coding, visit www.bcarev.com/revu.

PSYCHIATRIC AND RELATED CONDITIONS				
ADHD - Features are predominately...(choose)		Code	Major Depressive Disorders (MDD)	
ADHD; inattentive type		F90.0	MDD, single episode code choices	
ADHD; hyperactive type		F90.1	"Single episode" is the first-ever episode. DSM-5, pg 162: Dx code for MDD based on single vs recurrent and severity.	
ADHD; combined (inattentive and hyperactive types)		F90.2		
ADHD; other type, which is not considered as above three types		F90.8	MDD, single episode; (The patient's 1st Dx of MDD - may last months/years)	
Anxiety and Related Dx's F40 F41 F43 and F93?			MDD, single episode; mild severity HCC 58 F32.0	
Anxiety; generalized		F41.1	MDD, single episode; moderate severity HCC 58 F32.1	
Anxiety, mixed (with prominent features of other disorder)		F41.3	MDD, single; severe, WITHOUT psychotic symptoms HCC 58 F32.2	
Panic disorder; w/o agoraphobia (panic attack) DEF in note		F41.0	MDD, single; severe, WITH psychotic symptoms HCC 58 F32.3	
with agoraphobia		F40.01	MDD, single episode; in PARTIAL remission HCC 58 F32.4	
Separation anxiety (of childhood)		F93.0	MDD, single episode; in FULL remission HCC 58 F32.5	
Other specified anxiety disorder (doc in record, but no code)		F41.8	MDD, single episode; severity cannot be specified avoid No F32.9	
Social phobia (anxiety) disorder, generalized		F40.11	MDD, recurrent episode code choices (more common than single episode)	
Acute stress reaction		F43.0	An "episode" likely to last many mos/years. DSM-5, pg 162: "recurrent" = interval of ≥ 2 consecutive months between separate episodes in which criteria for MDD are not met.	
Post-traumatic Stress Disorder				
PTSD; acute		F43.11	MDD, recurrent episode; mild HCC 58 F33.0	
PTSD; chronic		F43.12	MDD, recurrent episode; & moderate severity HCC 58 F33.1	
Anxiety; unspecified	avoid	F41.9	MDD, recurrent; severe, WITHOUT psychotic symptoms HCC 58 F33.2	
Adjustment Disorders F43.2				
Adjustment disorder; with depressed mood (grief reaction)		F43.21	MDD, recurrent episode in PARTIAL remission HCC 58 F33.41	
with anxiety		F43.22	MDD, recurrent episode in FULL remission HCC 58 F33.42	
with mixed mood (anxiety & depression)		F43.23	MDD, other recurrent depressive disorder (specified) HCC 58 F33.8	
with disturbance of conduct		F43.24	MDD, recurrent episode, unspecified avoid HCC 58 F33.9	
with mixed disturbance (emotion/conduct)		F43.25	Other Depressive Episodes (Added 2016)	
with other symptoms not noted in available codes		F43.29	• Premenstrual dysphoric disorder No F32.81	
Adjustment disorder unspecified	avoid	F43.20	• Other specified depressive episode (specified in record) No F32.89	
Bipolar Disorders F31				
Consider: manic, depressed or mixed, & mild, moderate or severe. If "severe" select code based on presence/absence of psychosis.				
Bipolar, current episode is manic & mild	HCC 58	F31.11	• Mixed obsession thoughts and acts F42.2	
Bipolar; current episode is; manic & moderate	HCC 58	F31.12	• Hoarding disorder F42.3	
manic & severe WITHOUT psychotic features	HCC 58	F31.13	• Excoriation (skin-picking) disorder F42.4	
manic & severe and WITH psychotic features	HCC 58	F31.2	• Other obsessive-compulsive dis. (documented, but not listed above) F42.8	
Bipolar, current episode depressed & mild	HCC 58	F31.31	• Obsessive-compulsive disorder, unspecified avoid F42.9	
current episode depressed & moderate	HCC 58	F31.32	Persistent mood (affective) disorders F34	
depressed but WITHOUT psychotic features	HCC 58	F31.4	Cyclothymic disorder F34.0	
depressed and WITH psychotic features	HCC 58	F31.5	Dysthymic disorder DSM5 = persistent depressive disorder F34.1	
Bipolar, current episode mixed (manic & dep.) mild	HCC 58	F31.61	• Disruptive mood dysregulation disorder HCC 58 F34.81	
Bipolar; current episode mixed & moderate	HCC 58	F31.62	• Other specified persistent mood disorder HCC 58 F34.89	
mixed & severe, WITHOUT psychotic features	HCC 58	F31.63	Mood disorder, unspec. (Active psychosis NOS) avoid HCC 58 F39	
mixed & severe, and WITH psychotic features	HCC 58	F31.64	Personality Disorders F60	
Bipolar, current episode hypomanic	HCC 58	F31.0	Antisocial F60.2	
Bipolar Disorders IN REMISSION (Partial or Full Remission)				
Bipolar PARTIAL remission		Bipolar FULL remission		Dependent F60.7
hypomanic HCC 58	F31.71	hypomanic HCC 58	F31.72	Histrionic F60.4
manic HCC 58	F31.73	manic HCC 58	F31.74	Narcissistic F60.81
depressed HCC 58	F31.75	depressed HCC 58	F31.76	Obsessive-compulsive F60.5
mixed HCC 58	F31.77	mixed HCC 58	F31.78	Paranoid F60.0
Bipolar disorder, unspecified	avoid	HCC 58	F31.9	Schizoid F60.1
Bipolar II disorder	HCC 58	F31.81	Schizophrenia/Schizoaffective	
Manic Episode F30				
Manic episode w/o psychotic symptoms mild	HCC 58	F30.11	Paranoid HCC 57 F20.0	
Manic episode w/o psychotic symptoms moderate	HCC 58	F30.12	Disorganized HCC 57 F20.1	
Manic episode w/o psychotic symptoms severe	HCC 58	F30.13	Catatonic HCC 57 F20.2	
Manic episode with psychotic symptoms severe	HCC 58	F30.2	Undifferentiated HCC 57 F20.3	
Other manic episodes (like hypomania)	HCC 58	F30.8	Residual HCC 57 F20.5	
Manic episode in PARTIAL remission	HCC 58	F30.3	Schizophreniform disorder HCC 57 F20.81	
Manic episode in FULL remission	HCC 58	F30.4	Schizophrenia (a documented but no code exists) HCC 57 F20.89	
Manic episode, unspecified	avoid	HCC 58	Schizoaffective disorder, bipolar type HCC 57 F25.0	
Screening for Mental Health and Behavioral Disorders				
Screening; mental health & behavioral disorders, unspec	Z13.30	depressive type HCC 57		F25.1
depression	Z13.31	other specified (documented type, not bipolar or depressive) HCC 57		F25.8
maternal depression	Z13.32	Schizoaffective disorder, unspecified avoid HCC 57		F25.9
other mental health and behavioral disorders	Z13.39	Factitious Disorders		
autism	Z13.41	Factitious disorder imposed on self; unspecified		F68.10
		with predominantly psychological signs and symptoms		F68.11
		with predominantly physical signs and symptoms		F68.12
		with combined psychological physical signs and symptoms		F68.13
		Factitious disorder imposed on another		F68.A

PSYCHIATRIC AND RELATED CONDITIONS			
CHILD MALTREATMENT		ADULT MALTREATMENT	
<i>Replace dash with A -initial, D-FU or S -sequela</i>	Code	<i>Replace dash with A -initial, D-FU or S -sequela</i>	Code
Child physical abuse, confirmed	T74.12X -	Adult physical abuse, confirmed	T74.11X -
Psychological abuse, confirmed	T74.32X -	Psychological abuse, confirmed	T74.31X -
Sexual abuse, confirmed	T74.22X -	sexual	T74.21X -
Child neglect	T74.02X -	other abuse and neglect	T74.01X -
Shaken infant syndrome	T74.4XX -	Adult neglect (nutritional)	T74.01X -
Sexual exploitation, confirmed	T74.52X-	Sexual exploitation, confirmed	T74.51X-
Sexual exploitation, suspected	T76.52X-	Sexual exploitation, suspected	T76.51X-
Labor exploitation, confirmed	T74.62X-	Labor exploitation, confirmed	T74.61X-
Labor exploitation, suspected	T76.62X-	Labor exploitation, suspected	T76.61X-
Other Child Dx's		Adult Related Info Dx Codes	
Autistic disorder	F84.0	Perpetrator of spousal/partner abuse	Z69.12
Heller's syndrome	F84.3	Parent child problems, unspecified.	Z71.89
Child psychosis NOS	F84.9	Perpetrator of parental child abuse	Z69.011
Schizophrenia, childhood type	F84.5	Parent-biological child problem	Z71.89
Child Conduct Disorders		Counseling: parent-adopted child problem	Z71.89
Oppositional defiant disorder	F91.3	Counseling: parent-foster child problem	Z71.89
Adolescent onset type	F91.2	Parental overprotection	Z62.1
Childhood onset type	F91.1	Problems with aged parents or in-laws	Z63.79
Other conduct disorders	F91.8	Alcoholism in family	Z63.72
Unspecified	F91.9	Substance abuse in family	Z63.72
Disorder - Social Functioning Child/Adolescence		Personal current military deployment	Z65.8
Selective mutism	F94.0	Personal Hx return from military deploy	Z65.5
Reactive attachment disorder	F94.1	Occupational concerns , loss of job	Z56.0
Disinhibited attachment disorder	F94.2	Change of job	Z56.1
Other childhood disorder	F94.8	Threat of loss of job	Z56.2
Child - Additional Social Status Dx's		Stressful work schedule	Z56.3
Parent child problems, unspecified.	Z71.89	Discord with boss and workmates	Z56.4
Parent-biological child problem	Z71.89	Difficult conditions at work	Z56.5
Counseling-parent-adopted child problem	Z71.89	Other physical and mental strain	Z56.6
Counseling-parent-foster child problem	Z71.89	Social maladjustment	Z60.3
Other parent-child problems	Z62.820	Legal circumstances	Z65.3
Other specific problem related to upbringing	Z62.898	Refusal of tx for religious reasons	Z53.1
Alcoholism in family	Z63.72	Bereavement (disappearance/death)	Z63.4
Substance abuse in family	Z63.72	Religious or spiritual problem	Z65.8
Other psychosocial circumstances	Z65.8	Life circumstance problem	Z65.8
Social maladjustment	Z60.3	Person awaiting admission to facility	Z75.0
Legal circumstances	Z65.3	Exploitation Dx Codes (Any age)	
Refusal of tx for religious reasons	Z53.1	Exam and observation ; following forced sexual exploitation	Z04.81
Relational problem, NOS	Z65.8	following forced labor exploitation	Z04.82
Bereavement, uncomplicated	Z63.4	Forced labor or sexual exploitation in childhood	Z62.813
Counseling perpetrator of physical/sexual abuse	Z69.021	Forced labor or sexual exploitation	Z91.42
Religious or spiritual problem	Z65.8	Emotional State Dx Codes (Any age)	
Life circumstance problem	Z65.8	Nervousness	R45.0
Personal History of Mental Disorders (Any age)		Irritability & Anger	R45.4
Affective disorders	Z86.59	Impulsiveness	R45.87
Neurosis	Z86.59	Emotional Liability	R45.86
Alcoholism <i>HCC 55</i>	F10.21	Demoralization/Apathy	R45.3
Combat and operational stress	Z86.51	Other emotional state	R45.89
Other mental disorders	Z86.59	Cognitive Defects (Any age)	
Unspecified mental disorder <i>avoid</i>	Z86.59	Attention/concentration	R41.840
Family hx of psychiatric condition	Z81.8	Cognitive communication	R41.841
Other/Miscellaneous Dx's (Any Age)		Visuospatial	R41.842
Insomnia	G47.00	Psychomotor	R41.843
Hypersomnia <i>Several codes available Check F51.0 - F51.9</i>	F51.11	Frontal lobe/executive function	R41.844
Self mutilation (personal hx)	Z91.5	Other cognitive deficits	R41.89
Noncompliance	Z91.19	Dementia in disease classified elsewhere	F02.80
Anorexia nervosa	F50.00	<i>Code first, underlying condition</i>	<i>code first</i>
Bulimia nervosa	F50.2	with behavioral disturbances	F02.81
Intellectual Disabilities; mild	F70	(OB) Puerperium Mental & Behavioral Disorders	
moderate	F71	Postpartum depression	F53.0
severe	F72	Peurperal psychosis	F53.1
profound	F73		

PSYCHIATRIC AND RELATED CONDITIONS			
Signs and Symptoms (Any age)	Code	Dx - Medication Management Code also clinical condition(s)	Code
Memory loss	R41.3	Code: Therapeutic drug level monitoring	Z51.81
Excessive crying	R45.83	Code + Long term (current) drug therapy	Z79.899
Altered mental status	R41.82	Code + Long term (current) use of opiate analgesic	Z79.891
Other general symptoms	R68.89	Code also the medical/psych diagnosis(es)	See code
Lack of coordination	R27.9	Underdosing of Prescribed Medication by Patient (requires 2 codes)	
Abnormal weight gain	R63.5	Refer these cases to coder for code assignment	
Abnormal weight loss	R63.4	Code first, underdosing of medication (T36-T50) with fifth or sixth character of "6", then code intent and reason (below)	
Other speech disturbance	R47.89		
Senility w/o mention psychosis	R41.81	1. Look up med or med class in ICD	TXX.XXX -
Headache	R51	When assigning the "T" code, the 7th character will be;	
Sleep disturbance	G47.9	"A" Initial eval of this med management, "D" FU or "S" Sequela	
Hallucinations	R44.3	Patient Medication Noncompliance by Self Underdosing of;	
Dizziness/giddiness	R42	Replace dash (-) w/ A =initial (active tx); D =FU (healing); or S =sequela	
Decreased libido	R68.82	tetracyclic antidepressants	T43.026 -
Fatigue	R53.83	tricyclic antidepressants	T43.016 -
Generalized pain	R52	other antidepressant	T43.296 -
Night terrors (child)	F51.4	antipsychotics (phenothiazine)	T43.3x6 -
Nicotine Dependence vs Tobacco Use and Exposure		amphetamines	T43.626 -
Cigarette , uncomplicated (no related illness)	F17.210	other psychostimulant	T43.696 -
in remission	F17.211	antipsychotics and neuroleptics	T43.596 -
in withdrawal	F17.213	barbiturates	T42.3x6 -
Vapor or "Other" uncomplicated	F17.290	benzodiazepines	T42.4x6 -
in remission	F17.291	butyrophenone/thiothixene narcoleptics	T43.4x6 -
in withdrawal	F17.293	cannabis	T40.7x6 -
Chewing tobacco , uncomplicated	F17.220	MAOIs	T43.1x6 -
in remission	F17.221	methadone	T40.3x6 -
in withdrawal	F17.223	methyphenidate (ADD)	T43.636 -
2nd hand tobacco smoke exposure	Z77.22	narcotics (synthetic)	T40.4x6 -
Occupational tobacco smoke exposure	Z57.31	opium	T40.0x6 -
History of tobacco dependence	Z87.891	other opioid	T40.2x6 -
Tobacco use, [no dependence]	Z72.0	psychotropic (other)	T43.8x6 -
• Vaping-related disorder, effective 4/1/20	U07.0	SSRIs	T43.226 -
Use additional code(s) to identify manifestations of vaping-related disorders		2. Code also intent and reason from self underdosing	
"PROVISIONAL DX" / "RULE OUT DX" TODAY??		INTENTIONAL underdosing of med(s) by patient;	
ICD-10 Guidelines prohibit assignment of a diagnosis when that Dx. is only being "considered" at this time. One might consider assignment of R69 in cases where a definitive diagnosis cannot yet be assigned. R69 May or may not represent reimbursement problems, Coder/biller should monitor.		due to financial hardship	Z91.120
		for any other reason	Z91.128
		UNINTENTIONAL underdosing by patient;	
		due to age-related debility	Z91.130
		for any other reason	Z91.138
Mental illness, NOS	F99	Other Patient Noncompliance Diagnoses	
Illness, unspecified	R69	Other med. noncompliance (e.g., self overdosing)	Z91.14
Personal History of Abuse in Childhood (Excludes Current)		Noncompliance involving other than medication	Z91.19
physical and sexual abuse	Z62.810	Noncompliance with diet	Z91.11
psychological abuse	Z62.811		
neglect	Z62.812		
forced labor or sexual exploitation	Z62.813		
unspecified abuse	Z62.819		

CHRONIC PAIN AND SUBSTANCE USE DISORDERS			
Chronic Pain & Medication Management	Code	Cannabis Dependence (DSM "moderate / severe")	Code
<i>Coding chronic pain management: List 1st the chronic pain Dx, then the clinical reason Dx, followed by "Therapeutic monitoring" Dx, and finally High-risk medication Dx, if appropriate. See 1-4 below.</i>		Cannabis dependence; uncomplicated	HCC 55 F12.20
		Cannabis dependence; in remission	HCC 55 F12.21
		Cannabis dependence; with withdrawal	F12.23
1. Chronic Pain Syndrome	G89.4	with cannabis-induced; with anxiety disorder	HCC 55 F12.280
Chronic Pain, unspecified	G89.29	with psychotic disorder with delusions	HCC 54 F12.250
due to; trauma	G89.21	with psychotic disorder with hallucinations	HCC 54 F12.251
neoplasm related	G89.3	Cannabis dependence with intoxication; uncomplicated	HCC 55 F12.220
2. Common conditions causing chronic pain		with delirium	HCC 55 F12.221
Arthropathy	M12.9	with perceptual disturbance	HCC 55 F12.222
Fibromyalgia	M79.7	Cannabis Use (w/o abuse or dependence) & Cannabis Poisoning	
Lumbago	M54.5	Cannabis use, unspecified & uncomplicated	F12.90
Rheumatoid arthritis	HCC 40 M06.9	<i>See F12.9x for other cannabis "use" diagnoses</i>	
Pain disorder with related psychological factors	F45.42	Cannabis poisoning - intent undetermined	T40.7x4 -
Medication Management (detailed documentation)		<i>Replace dash (-) with: A=initial (active tx);D= FU (healing); or S=sequela</i>	
3. Therapeutic drug monitoring (code also #4 and/or #5)	Z51.81	Cocaine Abuse ("mild") See DSM5 pg. 561	
4. + Long term (current) use of opiate analgesic	Z79.891	Cocaine abuse; uncomplicated	F14.10
5. + Other long term (current) drug therapy	Z79.899	Cocaine abuse; in remission	F14.11
Alcohol Abuse ("mild") See DSM5 pg.490		Cocaine abuse; with other cocaine-induced disorder	HCC 55 F14.188
Alcohol abuse; uncomplicated	F10.10	with cocaine-induced; with anxiety disorder	HCC 55 F14.180
Alcohol abuse; in remission	F10.11	with mood disorder	HCC 55 F14.14
with alcohol-induced; with anxiety disorder	HCC 55 F10.180	with psychotic disorder with delusions	HCC 54 F14.150
with mood disorder	HCC 55 F10.14	with psychotic disorder with hallucinations	HCC 54 F14.151
with psychotic disorder with delusions	HCC 54 F10.150	with sexual dysfunction	HCC 55 F14.181
with psychotic disorder with hallucinations	HCC 54 F10.151	with sleep disorder	HCC 55 F14.182
with sexual dysfunction	HCC 55 F10.181	Cocaine abuse with intoxication; uncomplicated	HCC 55 F14.120
with sleep disorder	HCC 55 F10.182	with delirium	HCC 55 F14.121
Alcohol abuse with intoxication; uncomplicated (today)	HCC 55 F10.120	with perceptual disturbance	HCC 55 F14.122
with delirium	HCC 55 F10.121	Cocaine Dependence (DSM "moderate / severe")	
• Alcohol abuse with withdrawal; uncomplicated	F10.130	Cocaine dependence; uncomplicated	HCC 55 F14.20
• unspecified	F10.139	Cocaine dependence; in remission	HCC 55 F14.21
Alcohol Dependence (DSM "moderate / severe")		with withdrawal;	HCC 55 F14.23
Alcohol dependence; uncomplicated	HCC 55 F10.20	with cocaine-induced; with anxiety disorder	HCC 55 F14.280
Alcohol dependence; in remission	HCC 55 F10.21	with mood disorder	HCC 55 F14.24
with withdrawal; uncomplicated	HCC 55 F10.230	with psychotic disorder with delusions	HCC 54 F14.250
with delirium	HCC 54 F10.231	with psychotic disorder with hallucinations	HCC 54 F14.251
with perceptual disturbance	HCC 54 F10.232	with sexual dysfunction	HCC 55 F14.281
with alcohol-induced; with anxiety disorder	HCC 55 F10.280	with sleep disorder	HCC 55 F14.282
with mood disorder	HCC 55 F10.24	Cocaine dependence with intoxication; uncomplicated	HCC 55 F14.220
with persisting amnesic disorder	HCC 54 F10.26	with delirium	HCC 55 F14.221
with persisting dementia	HCC 54 F10.27	with perceptual disturbances	HCC 55 F14.222
with psychotic disorder delusions	HCC 54 F10.250	• Cocaine abuse, unspecified with withdrawal	F14.13
with psychotic disorder hallucinations	HCC 54 F10.251	Cocaine Use (w/o abuse or dependence) & Cocaine Poisoning	
with sexual dysfunction	HCC 55 F10.281	Cocaine use unspecified & uncomplicated	F14.90
with sleep disorder	HCC 55 F10.282	<i>See F14.9x for other cocaine "use" diagnoses</i>	
Alcohol dependence with intoxication; uncomplicated	HCC 55 F10.220	Cocaine poisoning - intent undetermined	T40.5x4 -
with delirium	HCC 55 F10.221	<i>Replace dash (-) with: A=initial (active tx);D= FU (healing); or S=sequela</i>	
Alcohol Use (w/o abuse or dependence) & Alcohol Poisoning		• Cocaine use, unspecified with withdrawal	F14.93
• Alcohol use, unspecified with withdrawal; uncomplicated	F10.930	Opioid Abuse ("mild") See DSM5 pg. 540	
• unspecified	F10.939	Opioid abuse; uncomplicated	F11.10
Alcohol use unspec w/ unspec alcohol-induced disorder	F10.99	Opioid abuse; in remission	F11.11
<i>See F10.9x for other alcohol "use" diagnoses</i>		with opioid-induced; with mood disorder	HCC 55 F11.14
<i>Replace dash (-) with: A=initial (active tx);D= FU (healing); or S=sequela</i>		with psychotic disorder with delusions	HCC 54 F11.150
Alcohol poisoning - intent undetermined	T51.0x4 -	with psychotic disorder with hallucinations	HCC 54 F11.151
Blood alcohol level codes		with sexual dysfunction	HCC 55 F11.181
< 20 mg/100 ml	Y90.0	with sleep disorder	HCC 55 F11.182
20-39 mg/100 ml	Y90.1	Opioid abuse with other induced disorder	HCC 55 F11.188
40-59 mg/100 ml	Y90.2	Opioid abuse with intoxication; uncomplicated	HCC 55 F11.120
60-79 mg/100 ml	Y90.3	with delirium	HCC 55 F11.121
80-99 mg/100 ml	Y90.4	with perceptual disturbance	HCC 55 F11.122
Level not specified	Y90.9	• Opioid abuse with withdrawal	F11.13
Cannabis Abuse ("mild") See DSM5 pg. 509		Opioid Dependence (DSM "moderate / severe")	
Cannabis abuse; uncomplicated	F12.10	Opioid dependence; uncomplicated	HCC 55 F11.20
Cannabis abuse; in remission	F12.11	Opioid dependence; in remission	HCC 55 F11.21
with cannabis-induced; with anxiety disorder	HCC 55 F12.180	with withdrawal	HCC 55 F11.23
with psychotic disorder with delusions	HCC 54 F12.150	with opioid-induced; with mood disorder	HCC 55 F11.24
with psychotic disorder with hallucinations	HCC 54 F12.151	with psychotic disorder with delusions	HCC 54 F11.250
Cannabis abuse with intoxication; uncomplicated	HCC 55 F12.120	with psychotic disorder with hallucinations	HCC 54 F11.251
with delirium	HCC 55 F12.121	with sexual dysfunction	HCC 55 F11.281
with perceptual disturbance	HCC 55 F12.122	with sleep disorder	HCC 55 F11.282
• Cannabis abuse with withdrawal	F12.13		

SUBSTANCE USE DISORDERS			
Opioid Dependence <i>continued from prev. page</i>	Code	Psychoactive Use (not abuse) & Poisoning	Code
Opioid dependence with other induced disorder	HCC 55 F11.288	Psychoactive use unspecified & uncomplicated	F19.90
Opioid dependence with intoxication; uncomplicated	HCC 55 F11.220	See F19.9x for other psychoactive "use" diagnoses	
with delirium	HCC 55 F11.221	Psychoactive poisoning - intent undetermined	T43.94x -
with perceptual disturbances	HCC 55 F11.222	Replace dash (-) with; A=initial (active tx);D= FU (healing); or S=sequela	
Opioid Use (w/o abuse or dependence) & Opioid Poisoning		Sedative/hypnotic/anti-anxiolytic Abuse ("mild") See DSM5 pg. 550	
Opioid use unspecified & uncomplicated	F11.90	Sedative abuse; uncomplicated	F13.10
See F11.9x for other opioid "use" diagnoses		Sedative, hypnotic or anti-anxiolytic abuse; in remission	F13.11
Opioid poisoning - Intent undetermined	T40.2x4 -	with sedative-induced; with anxiety disorder	HCC 55 F13.180
• Fentanyl poisoning - Intent undetermined	T40.414 -	with mood disorder	HCC 55 F13.14
• Tramadol poisoning - Intent undetermined	T40.424 -	with psychotic disorder with delusions	HCC 54 F13.150
• Other synthetic narcotic poisoning - Intent undetermined	T40.494 -	with psychotic disorder with hallucinations	HCC 54 F13.151
Replace dash (-) with; A=initial (active tx);D= FU (healing); or S=sequela		with sexual dysfunction	HCC 55 F13.181
		with sleep disorder	HCC 55 F13.182
Stimulant Abuse ("mild") See DSM5 pg. 561		with sedative abuse with other induced disorder	HCC 55 F13.188
Stimulant abuse; uncomplicated	F15.10	Sedative abuse with intoxication; uncomplicated	HCC 55 F13.120
Other stimulant abuse; in remission.	F15.11	with delirium	HCC 55 F13.121
with stimulant induced; with anxiety disorder	HCC 55 F15.180	• Sedative abuse with withdrawal; uncomplicated	F13.130
with mood disorder	HCC 54 F15.14	• unspecified	F13.139
with psychotic disorder with delusions	HCC 54 F15.150	Sedative Dependence (DSM "moderate / severe")	
with psychotic disorder with hallucinations	HCC 55 F15.151	Sedative dependence; uncomplicated	HCC 55 F13.20
with sexual dysfunction	HCC 55 F15.181	Sedative dependence; in remission	HCC 55 F13.21
with sleep disorder	HCC 55 F15.182	with withdrawal; uncomplicated	HCC 55 F13.230
Stimulant abuse with intoxication; uncomplicated	HCC 55 F15.120	with delirium	HCC 54 F13.231
with delirium	HCC 55 F15.121	with perceptual disturbance	HCC 54 F13.232
with perceptual disturbance	HCC 55 F15.122	with sedative-induced; with anxiety disorder	HCC 55 F13.280
• Other stimulant abuse with withdrawal	F15.13	with mood disorder	HCC 55 F13.24
Stimulant Dependence		with persisting amnesic disorder	HCC 54 F13.26
Stimulant dependence; uncomplicated	HCC 55 F15.20	with persisting dementia	HCC 54 F13.27
Stimulant dependence; in remission	HCC 55 F15.21	with psychotic disorder delusions	HCC 54 F13.250
with withdrawal	HCC 55 F15.23	with psychotic disorder hallucinations	HCC 54 F13.251
with stimulant-induced; anxiety disorder	HCC 55 F15.280	with sexual dysfunction	HCC 55 F13.281
with mood disorder	HCC 55 F15.24	with sleep disorder	HCC 55 F13.282
with psychotic disorder with delusions	HCC 54 F15.250	Sedative dependence with other induced disorder	HCC 55 F13.288
with psychotic disorder with hallucinations	HCC 54 F15.251	Sedative dependence with intoxication; uncompliate	HCC 55 F13.220
with sexual dysfunction	HCC 55 F15.281	with delirium	HCC 55 F13.221
with sleep disorder	HCC 55 F15.282	Sedative Use (w/o abuse or dependence) & Sedative Poisoning	
Stimulant dependence with intoxication; uncompliat	HCC 55 F15.220	Sedative use unspecified & uncomplicated	F13.90
with delirium	HCC 55 F15.221	See F13.9x for other sedative "use" diagnoses	
with perceptual disturbances	HCC 55 F15.222	Sedative poisoning - intent undetermined	T42.74x -
pendence) & Stimulant Poisoning		Replace dash (-) with; A=initial (active tx);D= FU (healing); or S=sequela	
Stimulant use unspecified/uncomplicated	F15.90	Hallucinogen Related Abuse ("mild") See DSM5 pg. 520	
See F15.9x for other stimulant "use" diagnoses		Hallucinogen abuse; uncomplicated	F16.10
Stimulant poisoning - Intent undetermined	T43.604 -	Hallucinogen abuse; in remission	F16.11
Replace dash (-) with; A=initial (active tx);D= FU (healing); or S=sequela		with Hallucinogen-induced; with anxiety disorder	HCC 55 F16.180
Psychoactive Abuse ("mild") See DSM5 pg. 577		with induced mood disorder	HCC 55 F16.14
Psychoactive abuse; uncomplicated	F19.10	with persisting perception disorder (flashbacks)	HCC 55 F16.183
Other psychoactive substance abuse; in remission	F19.11	with psychotic disorder with delusions	HCC 54 F16.150
with psychoactive-induced; anxiety disorder	HCC 55 F19.180	with psychotic disorder with hallucinations	HCC 54 F16.151
with mood disorder	HCC 55 F19.14	Hallucinogen abuse with other induced disorder	HCC 55 F16.188
with persisting amnesic disorder	HCC 54 F19.16	Hallucinogen abuse with intoxication; uncomplicated	HCC 55 F16.120
with persisting dementia	HCC 54 F19.17	with delirium	HCC 55 F16.121
with psychotic disorder with delusions	HCC 54 F19.150	with perceptual disturbance	HCC 55 F16.122
with psychotic disorder with hallucinations	HCC 54 F19.151	Hallucinogen Dependence (DSM "moderate / severe")	
with sexual dysfunction	HCC 55 F19.181	Hallucinogen dependence; uncomplicated	HCC 55 F16.20
with sleep disorder	HCC 55 F19.182	Hallucinogen dependence; in remission	HCC 55 F16.21
Psychoactive abuse with other induced disorder	HCC 55 F19.188	with Hallucinogen-induced; with anxiety disorder	HCC 55 F16.280
Psychoactive abuse with intoxication; uncomplicated	HCC 55 F19.120	with mood disorder	HCC 55 F16.24
with delirium	HCC 55 F19.121	with persisting perception disorder (flashbacks)	HCC 55 F16.283
with perceptual disturbance	HCC 55 F19.122	with psychotic disorder with delusions	HCC 54 F16.250
• Psychoactive abuse with withdrawal; uncomplicated	F19.130	with psychotic disorder with hallucinations	HCC 54 F16.251
• unspecified	F19.139	Hallucinogen dependence with other induced disorc	HCC 55 F16.288
Psychoactive Dependence (DSM "moderate / severe")		Hallucinogen dependence with intoxication; uncomp	HCC 55 F16.220
Psychoactive dependence; uncomplicated	HCC 55 F19.20	with delirium	HCC 55 F16.221
Psychoactive dependence; in remission	HCC 55 F19.21	Hallucinogen Use (w/o abuse or dependence) & Poisoning	
with withdrawal; uncomplicated	HCC 55 F19.230	Hallucinogen use unspecified & uncomplicated	F16.90
with delirium	HCC 54 F19.231	See F16.9x for other sedative "use" diagnoses	
with perceptual disturbance	HCC 54 F19.232	Hallucinogen poisoning; intent undetermined	T40.904 -
with Psychoactive-induced; with anxiety disorder	HCC 55 F19.280	Replace dash (-) with; A=initial (active tx);D= FU (healing); or S=sequela	
with mood disorder	HCC 55 F19.24		
with psychotic disorder with delusions	HCC 54 F19.250		
with psychotic disorder with hallucinations	HCC 54 F19.251		
with sexual dysfunction	HCC 55 F19.281		
with sleep disorder	HCC 55 F19.282		
Psychoactive dependence with other induced disorc	HCC 55 F19.288		
Psychoactive dependence with intoxication; uncomp	HCC 55 F19.220		
with delirium	HCC 55 F19.221		
with perceptual disturbances	HCC 55 F19.222		

SUBSTANCE USE DISORDERS			
Nicotine Dependence & Exposure See DSM5 pg. 571	Code	Substance Abuse In Pregnancy (see ICD Chapter 15)	Code
Cigarette ; uncomplicated (current smoker) (no related illness)	F17.210	<i>Use additional code(s) from F10 to identify manifestations of alcohol use</i>	
in remission	F17.211	Alcohol use complicating pregnancy; 1st trimester	O99.311
in withdrawal	F17.213	2nd trimester	O99.312
Vapor or "Other" uncomplicated	F17.290	3rd trimester	O99.313
in remission	F17.291	<i>Use additional code(s) from F11-F16 to identify manifestations of the drug use</i>	
in withdrawal	F17.293	Drug use complicating pregnancy; 1st trimester	O99.321
Chewing tobacco , uncomplicated	F17.220	2nd trimester	O99.322
in remission	F17.221	3rd trimester	O99.323
in withdrawal	F17.223	<i>Use additional code(s) from F17 to identify type of tobacco nicotine dependence</i>	
2nd hand tobacco smoke exposure	Z77.22	Smoking complicating pregnancy: 1st trimester	O99.331
Occupational tobacco smoke exposure	Z57.31	2nd trimester	O99.332
History of tobacco dependence	Z87.891	3rd trimester	O99.333
Tobacco use, [no dependence]	Z72.0	Miscellaneous and Signs/Symptoms	
• Vaping-related disorder, effective 4/1/20	U07.0	Noncompliance with medical treatment	Z91.19
<i>Use additional code(s) to identify manifestations of vaping-related disorders</i>		Abnormal involuntary movements	R25.9
Screening for		Abnormal weight gain	R63.5
Alcoholism	Z13.89	Abnormal weight loss	R63.4
Behavioral disorder		Underweight	R63.6
Depression		BMI of 19 or less	Z68.1
Neurologic disorder		Malnourished; moderate	HCC 21 E44.0
HIV		Z11.4	Abnormality of gait
STD/STI	Z11.3	Altered mental status	R41.82
HPV	Z11.51	Decreased libido	R68.82
Intellectual disability	Z13.4	Dizziness/giddiness	R42
Malnutrition	Z13.29	Excessive crying	R45.83
Medication Management Code also clinical condition(s)		Fatigue	R53.83
Code 1st: Therapeutic drug level monitoring	Z51.81	Generalized pain	R52
Code 2+: Other long term (current) drug therapy	Z79.899	Headache	R51
Patient Medication Noncompliance by Self Underdosing of;		Hepatitis C, chronic, viral; carrier	HCC 29 B18.2
<i>Replace dash (-) w/ A=initial (active tx); D=FU (healing); or S=sequela</i>		Hepatitis C, acute	B17.10
tetracyclic antidepressants	T43.026 -	Insomnia	G47.00
tricyclic antidepressants	T43.016 -	Memory loss	R41.3
other antidepressant	T43.296 -	Nausea	R11.0
antipsychotics (phenothiazine)	T43.3x6 -	Senility w/o mention psychosis	R41.81
amphetamines	T43.626 -	Sleep disturbance	G47.9
other psychostimulant	T43.696 -	Lab Studies - Search for additional in EMR	
antipsychotics and neuroleptics	T43.596 -	[Urine drug screen] Encounter other specified exam.	Z01.89
barbiturates	T42.3x6 -	Finding, abnormal substance in urine	R82.99
benzodiazepines	T42.4x6 -	Blood test for alcohol/drugs Code results	Z02.83
butyrophenone & thiothixene neuroleptics	T43.4x6 -	<i>Codes for results listed below, assign if known</i>	
cannabis	T40.7x6 -	<i>Abnormal findings in blood study</i>	
MAOIs	T43.1x6 -	Opiate drug in blood	R78.1
methadone	T40.3x6 -	Cocaine in blood	R78.2
methyphenidate (ADD)	T43.636 -	Hallucinogen in blood	R78.3
narcotics (synthetic)	T40.4x6 -	Psychotropic in blood	R78.5
opium	T40.0x6 -	Other addictive substance in blood	R78.4
other opioid	T40.2x6 -	Other substance in blood	R78.9
psychotropic (other)	T43.8x6 -	Physical Abuse Diagnosis Codes	
SSRIs	T43.226 -	<i>Replace dash (-) with; A=initial (active tx); D=FU (healing); or S=sequela</i>	
Code also PATIENT'S INTENT of underdosing		Suspected abuse; physical abuse/adult	T76.11x -
INTENTIONAL underdosing of med(s) by patient;		sexual abuse of adult	T76.21x -
due to financial hardship	Z91.120	physical abuse of a child	T76.12x -
for any other reason	Z91.128	sexual abuse of a child	T76.22x -
UNINTENTIONAL underdosing by patient;		Confirmed abuse; physical abuse/adult	T74.11x -
due to age-related debility	Z91.130	sexual abuse of adult	T74.21x -
for any other reason	Z91.138	physical abuse of a child	T74.12x -
Other Patient Noncompliance Diagnoses		sexual abuse of a child	T74.22x -
Other med. noncompliance (e.g., self overdosing)	Z91.14	Social Issues - Assign as an Additional Dx Code	
Noncompliance with other medical treatment and regimen	Z91.19	Homelessness	Z59.0
Patient's noncompliance with dietary regimen	Z91.11	Inadequate housing	Z59.1
Personal History and Family History Diagnosis Codes		Lack of adequate food and drinking water	Z59.4
Personal History of; Alcoholism HCC 55	F10.21	Extreme poverty	Z59.5
Combat and operational stress	Z86.51	Low income	Z59.6
Other Mental & Behavioral Disorders	Z86.59	Insufficient social ins and welfare support	Z59.7
Family History of psychiatric condition	Z81.8	Child in welfare custody (foster care)	Z62.21
Family History of substance abuse	Z81.4	Institutional upbringing	Z62.22
		Problems in relationship with spouse/partner	Z63.0

SOCIAL DETERMINANTS OF HEALTH (SDoH)			
Education and Literacy	Code	Primary Support Group, Inc Family Circumstances	Code
Illiteracy and low-level literacy	Z55.0	Problems in relationship with spouse/partner	Z63.0
Underachievement in school	Z55.3	Absence of family member due to military deployment	Z63.31
Edu. maladjustment, discord w/ teachers & classmates	Z55.4	Other absence of family member	Z63.32
Other problems r/t education and literacy	Z55.8	Disruption of family by separation and divorce	Z63.5
Problems related to education and literacy, unspecified	Z55.9	Stress on family d/t return of family member from military	Z63.71
Employment and Unemployment		Alcohol/drug addiction in family	Z63.72
Unemployment, unspecified	Z56.0	Problem r/t primary support group, unspecified	Z63.9
Change of job	Z56.1	Other Psychosocial Circumstances	
Threat of job loss	Z56.2	Conviction civil/criminal proceedings w/o imprisonment	Z65.0
Stressful work schedule	Z56.3	Imprisonment and other incarceration	Z65.1
Discord with boss and workmates	Z56.4	Problems related to other legal circumstances	Z65.3
Other physical and mental strain related to work	Z56.6	Lifestyle	
Occupational exposure to risk factors		Lack of physical exercise	Z72.3
Noise	Z57.0	Inappropriate diet and eating habits	Z72.4
Radiation	Z57.1	High risk sexual behavior	
Dust	Z57.2	heterosexual behavior	Z72.51
Environmental tobacco smoke	Z57.31	homosexual behavior	Z72.52
Other air contaminants	Z57.39	bisexual behavior	Z72.53
Toxic agents in agriculture	Z57.4	Anti-social behavior	
Toxic agents in other industries	Z57.5	child and adolescent antisocial behavior	Z72.810
Extreme temperature	Z57.6	adult antisocial behavior	Z72.811
Vibration	Z57.7	Problem r/t sleep	
Other risk factors	Z57.8	sleep deprivation	Z72.820
Unspecified risk factor	Z57.9	inadequate sleep hygiene	Z72.821
Housing and Economic Circumstances		Life Management Difficulty	
Homelessness	Z59.0	Burn-out	Z73.0
Inadequate housing	Z59.1	Type A behavior pattern	Z73.1
Problems r/t in residential institution	Z59.3	Stress, NEC	Z73.3
Lack of adequate food and safe drinking water	Z59.4	Inadequate social skills, NEC	Z73.4
Extreme poverty	Z59.5	Social role conflict, NEC	Z73.5
Low income	Z59.6	Limitation of activities due to disability	Z73.6
Insufficient social insurance and welfare support	Z59.7	Care Provider Dependency	
Oth problems r/t housing/economic circumstances	Z59.8	No household member to render care	Z74.2
Social Environment		Medical Facilities and Other Health Care	
Problems related to living alone	Z60.2	Holiday relief care	Z75.5
Acculturation difficulty	Z60.3	Personal Risk Factors, NEC	
Social exclusion and rejection	Z60.4	Personal history of adult physical and sexual abuse	Z91.410
Other problems related to social environment	Z60.8	Personal history of adult psychological abuse	Z91.411
Upbringing		Dependence on Enabling Machines/Devices, NEC	
Foster care (status)	Z62.21	Wheelchair dependence <i>Code first cause of dependence</i>	Z99.3
Personal history of abuse in childhood <i>Excludes current</i>		Dependence on supplemental oxygen	Z99.81
physical and sexual abuse	Z62.810		
psychological abuse	Z62.811		
neglect	Z62.812		
forced labor or sexual exploitation	Z62.813		
unspecified abuse	Z62.819		
Parent-child conflict	Z62.82		