

BCA's Diagnosis Coding Booklet

Table of Contents

ICD-10-CM Section IV Guidelines	2
Diabetes Type 2 (T2DM)	3
Diabetes Type 1 (T1DM)	4
Hypertension, Heart Disease, and Renal Disease	5
Cardiovascular Conditions	6
Preventive Services	7
Weight Management	8
Pregnancy	9
Family Planning and STIs	10
Pediatric Conditions	12
Respiratory Conditions	14
COVID-19	15
Chronic Pain and Substance Use Disorders	16
Psychiatric and Related Conditions	20
Injuries (Fractures, Burns, Lacerations)	23
Social Determinants of Health (SDoH)	25



The BCA's Diagnosis Coding Booklets are intended to be used as tools for diagnosis code selection in conjunction with the HIPAA mandated current, published coding guidelines for appropriate application and reporting.

From the [American Medical Association ICD-10-CM 2021 The Complete Official Codebook](#):

"Diagnosis coding guidelines for outpatient diagnoses have been approved for use by hospitals/providers in coding and reporting hospital-based outpatient services and provider-based office visits. Guidelines in Section I, Conventions, general coding guidelines and chapter-specific guidelines, should also be applied for outpatient services and office visits."

"A joint effort between the healthcare provider and the coder is essential to achieve complete and accurate documentation, code assignment, and reporting of diagnoses and procedures. The importance of consistent, complete documentation in the medical record cannot be overemphasized."

"These guidelines are a set of rules that have been developed to accompany and complement the official conventions and instructions provided within the ICD-10-CM itself. The instructions and conventions of the classification take precedence over guidelines. These guidelines are based on the coding and sequencing instructions in the Tabular and Alphabetic Index of ICD-10-CM, but provide additional instruction. Adherence to these guidelines when assigning ICD-10-CM diagnosis codes is required under the Health Insurance Portability and Accountability Act (HIPAA)."

For additional BCA resources, including BCA's most current guidance on COVID-19 coding, visit www.bcarev.com/revu.



DIABETES TYPE 2 (T2DM) (not an all inclusive list, see ICD-10)

Type 2 Diabetes without complications		Code	Signs/Symptom Codes	
DM controlled and without complications	HCC 19	E11.9	Pre-diabetes (<i>borderline DM, latent DM</i>)	R73.03
DM uncontrolled w/ hyperglycemia	HCC 18	E11.65	Other visual disturbances e.g. blurry vision	H53.8
DM uncontrolled w/ hypoglycemia, w/o coma	HCC 18	E11.649	Polydipsia Excessive thirst	R63.1
hypoglycemia, with coma	HCC 17	E11.641	Polyphasia Excessive eating/appetite	R63.2
Always code for DM2 patient on insulin	HCC 19	✚Z79.4	Polyuria Frequent urination Code 1st causal condition	R35.0
Long-term use oral hypoglycemic med (<i>code both when true</i>)		✚Z79.84	Anesthesia of skin Numbness in hands/feet	R20.0
DM with complication of neurological system, specifically;			Other Polyuria	R35.8
polyneuropathy	HCC 18	E11.42	Paresthesia of skin Tingling in hands/feet	R20.2
mononeuropathy	HCC 18	E11.41	Abnormal Weight loss	R63.4
gastroparesis (autonomic polyneuropathy)	HCC 18	E11.43	Miscellaneous Diagnoses	
DM with unspecified neuropathy (<i>avoid</i>)	HCC 18	E11.40	Lab Dx: Impaired fasting glucose	R73.01
DM with neuropathic arthropathy	HCC 18	E11.610	Other abnormal glucose, prediabetic	R73.09
If the DM is not in control assign also	HCC 18	✚E11.65	Hyperglycemia, unspecified (<i>avoid</i>)	R73.9
Diabetes w/complication of circulatory system, specifically;			Screening for diabetes mellitus (<i>asymptomatic</i>)	Z13.1
DM with peripheral angiopathy, no gangrene	HCC 18 & 108	E11.51	Metabolic syndrome	E88.81
DM w/peripheral angiopathy, w/ gangrene		E11.52	Lipoid Disorders: Pure Hypercholesterolemia	E78.00
DM with other circulatory complication	HCC 18	E11.59	Familial hypercholesterolemia	E78.01
If the DM is not in control assign also	HCC 18	✚E11.65	Hyperglyceridemia (very low density lipid type)	E78.1
DM with diabetic nephropathy	HCC 18	E11.21	Mixed hyperlipidemia (combo of E78.0 & E78.1)	E78.2
DM with proteinuria or microalbuminuria: E11.29 and R80.9			Dislipidemia/hyperlipidemia, unspecified (<i>avoid</i>)	E78.5
DM w/complication of CKD (<i>code also stage CKD</i>)	HCC 18	E11.22	Noncompliance w/treatment	Z91.19
CKD stage 1 GFR >90 (Glomerular Filtration Rate)		✚N18.1	Noncompliance w/renal dialysis	Z91.15
CKD stage 2 GFR 60-89 (Mild)		✚N18.2	Also Assign Overweight/Obesity & BMI (adult)	
CKD stage 3 unspecified (Moderate)		✚N18.30	Overweight Code	
CKD stage 3a GFR 45-59 (Moderate)		✚N18.31	E66.3	
CKD stage 3b GFR 30-44 (Moderate)		✚N18.32	BMI range 25.0 - 25.9 (See peds sheet for ped BMIs)	✚Z68.25
CKD stage 4 GFR 15-29 (Severe)	HCC 137	✚N18.4	BMI range 26.0 - 26.9	✚Z68.26
CKD stage 5 GFR <15	HCC 136	✚N18.5	BMI range 27.0 - 27.9	✚Z68.27
End Stage Renal Disease (ESRD)	HCC 136	✚N18.6	BMI range 28.0 - 28.9	✚Z68.28
If the DM is not controlled, assign also	HCC 18	✚E11.65	BMI range 29.0 - 29.9	✚Z68.29
DM with complication of eyes, specifically:			Obesity due to excess calories	
DM w/nonproliferative retinopathy w/o edema	HCC 18	E11.329-	BMI range 30.0-30.9	Z68.30 BMI range 35.0-35.9 ✚Z68.35
with macular edema	HCC 18	E11.321-	BMI range 31.0-31.9	Z68.31 BMI range 36.0-36.9 ✚Z68.36
DM w/proliferative retinopathy see choices	HCC 18	E11.351- thru	BMI range 32.0-32.9	Z68.32 BMI range 37.0-37.9 ✚Z68.37
Dash indicates must have 7th character for laterality		E11.359-	BMI range 33.0-33.9	Z68.33 BMI range 38.0-38.9 ✚Z68.38
DM with diabetic cataract	HCC 18	E11.36	BMI range 34.0-34.9	Z68.34 BMI range 39.0-39.9 ✚Z68.39
DM with eye complication not listed above	HCC 18	E11.39	Morbid Obesity due to excess calories	
If the DM is not in control assign also	HCC 18	✚E11.65	E66.01	
Diabetes - varied complications			BMI range 40.0 - 44.9	✚Z68.41
DM with; arthropathy	HCC 18	E11.618	BMI range 45.0 - 49.9	✚Z68.42
dermatitis	HCC 18	E11.620	BMI range 50.0 - 59.9	✚Z68.43
foot ulcer (<i>Code also site L97.4-, L97.5-</i>)	HCC 18 & 161	E11.621	BMI range 60.0 - 69.9	✚Z68.44
skin ulcer (<i>Code also site L97.1-L98.49</i>)	HCC 18 & 161	E11.622	BMI 70 or greater	✚Z68.45
other skin complication	HCC 18	E11.628	Status and History Codes	
DM with hyperosmolarity, without coma	HCC 17	E11.00	Amputation, BK: L BK = Z89.512 R BK = Z89.511	
hyperosmolarity, with coma	HCC 17	E11.01	Family history of diabetes	Z83.3
If DM is not in control assign also	HCC 18	✚E11.65	Family history of familial hypercholesterolemia	Z83.42
Diabetes in pregnancy not here - see ICD10 Category O24 on pg.9			History of tobacco dependence	Z87.891
Underdosing of insulin and/or oral antidiabetic medications: T38.3X6-				
7th character considerations: Replace "-" with: A = Active treatment phase, D = Healing phase, S = Sequela				
Also code reason for Underdosing: Intentional d/t financial hardship Z91.120; Intentional for other reason Z91.128, Unintentional d/t age-related disability Z91.130; Unintentional d/t other reason Z91.138				
ICD10 Guidelines instruct to report all conditions that require or impact care today. See pg 25 for SDOH impacting care: ie, homelessness				
Report Nicotine influence with T2DM: ie, Current cigarette smoker F17.210. See page 18 for other nicotine coding options.				

DIABETES TYPE 1 (T1DM)						
Diabetes without complications		Type 1	Miscellaneous Diagnoses		Type 1	
DM controlled and without complications		HCC	E10.9	Prediabetes		R73.03
DM uncontrolled with hyperglycemia		HCC	E10.65	Lab Dx: Impaired fasting glucose		R73.01
Diabetes with complications		Type 1		Other abnormal glucose, not currently diabetic		R73.09
DM with complication of neurological system, specifically;				Hyperglycemia, unspecified		R73.9
polyneuropathy		HCC	E10.42	Screening for diabetes mellitus		Z13.1
mononeuropathy		HCC	E10.41	Lipoid Disorders: Pure hypercholesterolemia		E78.00
gastroparesis (autonomic polyneuropathy)		HCC	E10.43	Familial hypercholesterolemia		E78.01
DM with neuropathic arthropathy		HCC	E10.610	Hyperglyceridemia (very low density lipoid type)		E78.1
DM with diabetic neuropathy, unspecified (avoid)		HCC	E10.40	Mixed hyperlipidemia (combo of E78.0 & E78.1)		E78.2
If the DM is not in control assign also		HCC	⚕E10.65	Hyperlipidemia, unspecified (avoid)		E78.5
Diabetes with complication of circulatory system, specifically;				Noncompliance w/treatment		Z91.19
DM with peripheral angiopathy, without gangrene		HCC	E10.51	Noncompliance w/renal dialysis		HCC Z91.15
DM with peripheral angiopathy, with gangrene		HCC	E10.52	Signs/Symptom Codes		
DM with other circulatory complication		HCC	E10.59	Other visual disturbances e.g. blurry vision		H53.8
If the DM is not in control assign also		HCC	⚕E10.65	Polydipsia Excessive thirst		R63.1
DM with diabetic nephropathy		HCC	E10.21	Polyphasia Excessive eating/appetite		R63.2
DM with diabetic CKD code also CKD stage		HCC	E10.22	Polyuria Frequent urination Code 1st causal conditior		R35.0
CKD stage 1 GFR >90 (Glomerular Filtration Rate)			⚕N18.1	Anesthisa of skin Numbness in hands/feet		R20.0
CKD stage 2 GFR 60-89 (Mild)			⚕N18.2	Other Polyuria		R35.8
CKD stage 3 unspecified (Moderate)			⚕N18.30	Paresthesia of skin Tingling in hands/feet		R20.2
CKD stage 3a GFR 45-59 (Moderate)			⚕N18.31	Abnormal Weight loss		R63.4
CKD stage 3b GFR 30-44 (Moderate)			⚕N18.32	See Weight Management conditions & pediatric BMI's on pg. 8		
CKD stage 4 GFR 15-29 (Severe)		HCC	⚕N18.4	See Diabetes in pregnancy ICD10 Category O24 on pg. 9		
CKD stage 5 GFR <15		HCC	⚕N18.5	Underdosing of insulin and/or oral antidiabetic medications: T38.3X6-7th character considerations: Replace "-" with: A = Active treatment phase, D = Healing phase, S = Sequela		
End Stage Renal Disease (ESRD)		HCC	⚕N18.6	Also code reason for Underdosing: Intentional d/t financial hardship Z91.120; Intentional for other reason Z91.128, Unintentional d/t age-related disability Z91.130; Unintentional d/t other reason Z91.138		
DM with complication of eyes, specifically;			Type 1	ICD10 Guidelines instruct to report all conditions that require or impact care today. See pg 25 for SDOH impacting care: ie, homelessness		
DM w/nonproliferative retinopathy w/o mac. edema		HCC	E10.329	Report Nicotine influence with T2DM: ie, Current cigarette smoker F17.210. See page 18 for other nicotine coding options.		
with macular edema		HCC	E10.321			
DM w/proliferative retinopathy see choices (must have 6th & 7th characters to identify laterality)		HCC	E11.351X-E11.359X			
DM with diabetic cataract		HCC	E10.36			
DM with other ophthalmic comp +add'l code for manifes		HCC	E10.39			
If the DM is not in control assign also		HCC	⚕E10.65			
Other complications			Type 1			
DM with other arthropathy		HCC	E10.618			
dermatitis		HCC	E10.620			
foot ulcer (Code also site L97.4-, L97.5-)		HCC	E10.621			
skin ulcer (Code also site L97.1-L98.49)		HCC	E10.622			
other skin complication		HCC	E10.628			
DM with hypoglycemia, without coma		HCC	E10.649			
hypoglycemia, with coma		HCC	E10.641			
DM with ketoacidosis, without coma		HCC	E10.10			
ketoacidosis, with coma		HCC	E10.11			
If DM is not in control assign also		HCC	⚕E10.65			

HYPERTENSION, HEART DISEASE, AND RENAL DISEASE				
I10 Hypertension without HD or CKD	Code	Elevated blood pressure (not hypertension)	Code	
I10 Hypertension (HTN), essential hypertension	I10	Elevated blood pressure		R03.0
I11 Hypertensive Heart Disease (HHD)				
<i>When HTN & HD exist together, use HHD codes below & I50 code if heart failure exists</i>				
Hypertensive Heart Disease includes: Heart Failure (I50.-), Myocarditis (I51.4), Myocardial degeneration (I51.5), Cardiomegaly (I51.7), Other ill-defined heart disease, e.g. Carditis, Pancarditis (I51.89), Takotsubo syndrome (I51.81) or Unspecified heart disease (I51.9).				
HHD with heart failure (HF) <i>Code also HF</i>	HCC 85	I11.0	HHD without heart failure (HF)	I11.9
Heart Failure (I50) Specificity Options				
Left heart failure, CHF and Other heart failure		Right heart failure		
Left heart failure	HCC 85	I50.1	Right heart failure, unspecified	HCC 85 I50.810
End stage heart failure (Code also heart failure, I50.2-I50.9)		I50.84	Acute right heart failure	HCC 85 I50.811
Other heart failure	HCC 85	I50.89	Chronic right heart failure	HCC 85 I50.812
Biventricular heart failure	HCC 85	I50.82	Acute on chronic right heart failure	HCC 85 I50.813
High output heart failure	HCC 85	I50.83	Right heart failure due to left heart failure	HCC 85 I50.814
Congestive heart failure (CHF, unspecified)	HCC 85	I50.9		
Diastolic heart failure		Systolic heart failure		
Chronic diastolic heart failure	HCC 85	I50.32	Chronic systolic heart failure	HCC 85 I50.22
Acute diastolic heart failure	HCC 85	I50.31	Acute systolic heart failure	HCC 85 I50.21
Acute on chronic diastolic heart failure	HCC 85	I50.33	Acute on chronic systolic heart failure	HCC 85 I50.23
Combined systolic and diastolic heart failure				
Chronic systolic and diastolic heart failure	HCC 85	I50.42	Acute systolic and diastolic heart failure	HCC 85 I50.41
Acute on chronic systolic & diastolic heart failure	HCC 85	I50.43		
I12 Hypertensive Chronic Kidney Disease (HCKD)				
<i>When HTN & CKD exist together, use HCKD codes below & N18 code</i>				
HCKD w/stage 1-4 CKD or stage unspecified		I12.9	HCKD with stage 5 CKD or end stage (ESRD)	HCC 136 I12.0
N18 Chronic Kidney Disease-Report stage w/HCKD above. Note: GFRs per National Kidney Foundation, 2017.				
CKD stage 1 GFR 90 or higher (Glomerular Filtration Rate)		N18.1	CKD stage 4 GFR 15-29	HCC 138 N18.4
CKD stage 2 GFR 60-89		N18.2	CKD stage 5 GFR <15	HCC 136 N18.5
CKD stage 3 unspecified		N18.30	End stage renal disease (ESRD)	HCC 136 N18.6
CKD stage 3a GFR 45-59		N18.31	CKD w/o stage documented in medical record (avoid)	N18.9
CKD stage 3b GFR 30-44		N18.32	Dependence on renal dialysis	HCC 134 Z99.2
I13 Hypertensive Heart Disease (HHD) and Chronic Kidney Disease (HCKD)				
<i>(1) When HTN, HD & CKD exist together, use appropriate code I13 below (2) Report also the stage of CKD from above. (3) If heart failure exists, report the type of failure from I50 above.</i>				
HHD w/CKD, stage 1-4 or undoc., code I13, if HF add I50 code.		HHD with CKD, stage 5 or ESRD, code I13, if HF add I50 code.		
with heart failure (code also the failure from I50)	HCC 85	I13.0	w/heart failure (code also the failure from I50)	I13.2
without heart failure		I13.10	without heart failure	HCC 136 I13.11
I16 Hypertensive Crisis. Code also any identified hypertensive disease (I10-I15)				
According to the American Heart Association: Hypertensive urgency (I16.0) occurs when systolic blood pressure exceeds 180, or diastolic exceeding 110, without progressive organ dysfunction. Hypertensive emergency (I16.1) occurs when levels exceed 180 systolic or 120 diastolic, with impending or progressive organ damage. Also document any consequences of the uncontrolled pressure.				
Hypertensive urgency		I16.0	Hypertensive emergency	I16.1
Underdosing of Antihypertensive Drugs				
<i>(common drugs listed below, check a current code book for other choices)</i>				
In ICD10CM, Underdosing refers to taking less of a medication than is prescribed by a provider or manufacturer's instruction. Discontinuing the use of a RX on the patient's own initiative...is also classified as underdosing.				
ACE Inhibitors (e.g. Lisinopril, Lotensin, Zesteril)	T46.4x6-		Beta Blockers (e.g. Lopressor, Atenolol, Metoprolol)	T44.7x6-
Diuretics/thiazides (e.g. HCTZ)	T50.2x6-		Calcium Channel Blocker (e.g. Cardizem, Procardia)	T46.1x6-
7th character code, replace "-" with A, D or S: A = initial (active treatment phase) or D = Subsequent (healing phase) or S = Sequela				
Also code reason for underdosing:				
Intentional underdosing due to financial hardship	Z91.120		Intentional underdosing for other reason	Z91.128
Unintentional underdosing due to age-related debility	Z91.130		Unintentional underdosing for other reason	Z91.138
Report Nicotine influence with hypertension: ie, Current cigarette smoker F17.210. See page 18 for other nicotine coding options.				

Cardiovascular Conditions			
Abnormal Findings	Code	Conduction/Rhythm Disorders	Code
Nonspecific low blood pressure (not hypotension - see I95.X)	R03.1	Atrial fibrillation, longstanding persistent	I48.11
Elevated BP reading, w/o diagnosis of HTN	R03.0	Atrial fibrillation, other persistent	I48.19
Abnormal cardiovascular function study	R94.39	Atrial fibrillation, chronic, unspecified	I48.20
Other nonspecific, abnormal finding lung field	R91.8	Atrial fibrillation, permanent	I48.21
Abnormal chest sounds (friction, rales)	R09.89	Atrial fibrillation, paroxysmal	I48.0 HCC 96
Abnormal echocardiogram	R93.1	Atrial flutter, typical (Type 1)	I48.3 HCC 96
Abnormal EKG (if long QT syndrome, I45.81)	R94.31	Atrial flutter, atypical (Type II)	I48.4 HCC 96
Abnormal serum enzymes (acid/alk phos, amylase, lipase)	R74.8	Atrial flutter, unspecified	I48.92 HCC 96
Abnormal coagulation profile (PT/PTT, bleeding)	R79.1	Cardiac/Circulatory Signs and Symptoms	
Abnormal blood gas	R79.81	Bradycardia (add code if Adverse Effect due to drug)	R00.1
Angina		Chest discomfort/chest pain	R07.89
Unspecified angina or ischemic chest pain	I20.9 HCC 88	Intercostal pain	R07.82
Prinzmetal, angiospastic angina (w/documented spasm)	I20.1	painful respiration	R07.1
Stable angina	I20.8 HCC 88	Cough (Smoker's cough, I41.0. Hemoptysis R04.2)	R05
Unstable angina/Intermediate coronary syndrom	I20.0 HCC 87	Debility, age related physical debility	R54
Coronary Atherosclerosis (CAD)		Dizziness, light-headedness	R42
of native coronary artery, without angina pectoris	I25.10	Dyspnea, unspecified (SOB R06.02)	R06.00
with unstable angina pectoris	I25.110 HCC 87	Periodic breathing, Cheyne-Stokes	R06.3
with other forms of angina pectoris	I25.118 HCC 88	Snoring	R06.83
with unspecified angina pectoris	I25.119 HCC 88	Other forms of dyspnea/abnormal breathing	R06.09
of coronary artery bypass graft (NOS) w/o angina	I25.810	Edema, unspecified	R60.9
autologous artery coronary artery bypass graft(s):		Generalized edema	R60.1
with unstable angina pectoris	I25.720 HCC 87	Localized edema	R60.0
with other forms of angina pectoris	I25.728 HCC 88	Falls, repeated, Tendency to fall	R29.6
Chronic total occlusion of coronary artery (Code first I25.1-, I25.7-, I25.81-)	I25.82	Fluid overload, unspecified (Fluid retention, R60.9)	E87.70
Lipoid Disorders		Heart murmur, unspecified	R01.1
Dyslipidemia / Hyperlipidemia unspecified	E78.5	Benign, functional, innocent cardiac murmurs	R01.0
Pure Hypercholesterolemia	E78.00	Weakness	R53.1
Familial hypercholesterolemia	E78.01	Other fatigue (Chronic fatigue R53.82)	R53.83
Pure hyperglyceridemia	E78.1	Other malaise	R53.81
Mixed hyperlipidemia	E78.2	Nausea	R11.0
Myocardial Infarction - Basic codes, more choices...		Nausea w/vomiting	R11.2
MI, acute, STEMI unspec (acute ≤ 28 days from episode)	I21.3	Vomiting w/o nausea	R11.11
MI, acute, NSTEMI	I21.4 HCC 86	Palpitations	R00.2
MI, acute, STEMI unsp (subsequent ≤ 28 days from	I22.9	Shortness of breath	R06.02
MI old, by EKG/Hx, no problem now	I25.2	Sleep apnea, unspecified	G47.30
Screening for		Syncope	R55
Lipids	Z13.220	Tachycardia	R00.0
Anemia	Z13.0	Personal History of	
Cardiovascular disorder		Cardiac pacemaker in situ	Z95.0
Hypertension	Z13.6	CABG	Z95.1
Ischemic heart condition		Heart valve replacement (mechanical)	Z95.2
Anticoagulation Medication Management		Heart valve replacement (tissue)	Z95.3
Therapeutic drug monitoring (#1 for PT/INRs)	Z51.81	PCI (angioplasty w/ implant/graft)	Z95.5
Long term (current) use of anticoagulants	Z79.01	Cardiac defibrillator in situ	Z95.810
Family History of		Coronary angioplasty status	Z98.61
Family history of ischemic heart disease	Z82.49	CVA/TIA	Z86.73
Family history of sudden cardiac death	Z82.41	DVT	Z86.718
Family history of other cardiovascular conditions	Z82.49	Corrected congenital malformation heart/circ system	Z87.74
ICD10 Guidelines instruct to report all conditions that require or impact care today. See pg 25 for SDOH impacting care: ie, homelessness		Pulmonary embolism	Z86.711
		Sudden cardiac arrest	Z86.74
		Surgery to heart and great vessels	Z98.890
Report Nicotine influence with T2DM: ie, Current cigarette smoker F17.210. See page 18 for other nicotine coding options.			

PREVENTIVE SERVICES

Typical Preventive Exams		Code	Screening for Developmental Disorders in Childhood	
General adult med exam (Annual Exam)		Z00.00	autism	Z13.41
without abnormal findings			for global developmental delays (milestones)	Z13.42
with abnormal findings		Z00.01	for other developmental delays	Z13.49
code also the abnormal finding		code also	Screening for Mental Health and Behavioral Disorders	
Completed Pap with above, code also		Z12.4	depression	Z13.31
Routine "GYN only" exam (with/wo Pap)		Z01.419	maternal depression	Z13.32
without abnormal findings			other mental health and behavioral disorders	Z13.39
with abnormal findings		Z01.411	Other Screening Studies	
code also the abnormal finding		code also	Pregnancy test today - negative	Z32.02
WCC without abnormal findings		Z00.129	Positive results today	Z32.01
WCC with abnormal findings		Z00.121	Results cannot be confirmed today	Z32.00
code also the abnormal finding		code also	Anemia (iron deficient)	Z13.0
Newborn Ck, 1-7 days old (e.g., wt/color)		Z00.110	Cardiovascular disorders	Z13.6
if abnormalities, assign additional code(s)		code also	Developmental disorders in childhood	Z13.4
Newborn Ck, 8-28 days old (e.g., wt/color)		Z00.111	Diabetes	Z13.1
if abnormalities, assign additional code(s)		code also	Poisoning (chemical / heavy metal-lead)	Z13.88
Special Reasons Dx Codes			HIV	Z11.4
Sports		Z02.5	Lipoid disorders	Z13.220
Immigration, naturalization		Z02.89	Osteoporosis	Z13.820
School admission		Z02.0	Routine cervical Pap smear	Z12.4
Pre-employment		Z02.1	Respiratory TB	Z11.1
Recruitment to armed forces		Z02.3	Latent TB	Z11.7
Issue of other med certificate		Z02.79	Sexually Transmitted Infection	Z11.3
Paternity		Z02.81	Thyroid disorders	Z13.29
Adoption		Z02.82	Immunization Dxs	
Blood-alcohol & blood-drug		Z02.83	One Dx code for any number of Immunizations.	Z23
Medicare Preventive Visit and Service Diagnoses			Underimmunized (as a diagnosis)	Z28.3
Welcome to MCare Visit		Z00.00	Personal History of Cancer	
Medicare Annual Wellness Visit			Breast	Z85.3
Obesity counseling (Code also obesity & BMI)		Z71.3	Cervix uteri	Z85.41
Screening; mammogram for breast CA		Z12.31	Other parts of uterus	Z85.42
cardiovascular disorder		Z13.6	Colon	Z85.038
diabetes		Z13.1	Prostate	Z85.46
eye and/or ear disorder		Z13.5	Bladder	Z85.51
HIV		Z11.4	Family History of	
HPV		Z11.51	Breast cancer	Z80.3
sexually transmitted infection		Z11.3	Colon cancer	Z80.0
prostate malignancy (could be exam or PSA)		Z12.5	Colonic polyps	Z83.71
Special Exams: Eyes/Vision and Ears/Hearing			Diabetes	Z83.3
Eyes/vision, w/o abnormal findings	Z01.00		Cardiovascular disease	Z82.49
with abnormal findings (code findings)	Z01.01		Screening Dx's: Paps	
follow failed screen w/o abnormal findings	Z01.020		Routine cervical pap smear	Z12.4
follow failed screen w/abnormal findings (code findings)	Z01.021		Mcare screening pap; cervical; low risk, q2 yrs	
Screening for glaucoma	Z13.5		high risk, q1yr (code also - spec risk factors Z91.89)	
Ears/hearing, without abnormal findings	Z01.10		vaginal (if applicable code also - absence of uterus)	Z12.72
with other abnormal finding (code findings)	Z01.118		Pap to confirm normal after abnormal	Z01.42
following failed hearing screen	Z01.110		Female Screening - Miscellaneous	
Immunization Dxs			Breast - ordering mammogram today	Z12.31
One Dx code for any number of Immunizations.	Z23		Chlamydial infection screening	Z11.8
Underimmunized (as a diagnosis)	Z28.3		HPV Human papilloma virus	Z11.51
			High risk sexual behavior (heterosexual)	Z72.51

PREVENTIVE SERVICES

Counseling For (as a diagnosis)

Diet (Add code: BMI, underlying condition)	Z71.3
Exercise	Z71.82
Injury prevention	Z71.89
Drug abuse counseling (Type: F11-F16, F18-F19)	Z71.51
Alcohol abuse counseling	Z71.41
Health related to travel	Z71.84

See FP pg10 for contraception management codes

Report all conditions that require or impact care today. See pg 25 for SDOH impacting care: ie, homelessness

Vaccine not given today because:

Acute illness	Z28.01
Chronic illness/condition	Z28.02
Immune compromised state	Z28.03
Allergy to vaccine or component	Z28.04
Other contraindication	Z28.09
Patient's belief or group pressure	Z28.1
Patient's refusal	Z28.21
Caregiver refusal	Z28.82
Patient had the disease	Z28.81

WEIGHT MANAGEMENT

Weight Dx (Adult/Child)

Code also, Adult or Peds BMI	Code
Abnormal weight gain	R63.5
Obesity complicating pregnancy	O99.21-
Drug-induced obesity	E66.1

Overweight

E66.3

Code also ADULT BMI from below or PED BMI from right

BMI between 25.0 - 25.9	Z68.25
BMI between 26.0 - 26.9	Z68.26
BMI between 27.0 - 27.9	Z68.27
BMI between 28.0 - 28.9	Z68.28
BMI between 29.0 - 29.9	Z68.29

Obesity due to excess calories

E66.09

Other Obesity	E66.8
---------------	-------

Code also ADULT BMI from below or PED BMI from right

BMI between 30.0 - 30.9	Z68.30
BMI between 31.0 - 31.9	Z68.31
BMI between 32.0 - 32.9	Z68.32
BMI between 33.0 - 33.9	Z68.33
BMI between 34.0 - 34.9	Z68.34
BMI between 35.0 - 35.9	Z68.35
BMI between 36.0 - 36.9	Z68.36
BMI between 37.0 - 37.9	Z68.37
BMI between 38.0 - 38.9	Z68.38
BMI between 39.0 - 39.9	Z68.39

Morbid Obesity due to excess calories

E66.01

Code also ADULT morbid obesity BMI from below

BMI between 40.0 - 44.9	Z68.41
BMI between 45.0 - 49.9	Z68.42
BMI between 50.0 - 59.9	Z68.43
BMI between 60.0 - 69.9	Z68.44
BMI 70 or greater	Z68.45

Underweight

R63.6

BMI of 19.9 or less, adult	Z68.1
----------------------------	-------

Malnutrition

E40-E46

Unspecified protein-calorie malnutrition	E46
Malnutrition; Protein-calorie, mild	E44.1
Malnutrition; Protein-calorie, moderate	E44.0
Malnutrition; Protein-calorie, severe	E43
Nutritional marasmus (severe)	E41
Kwashiorkor (rare in US)	E40

Pediatric BMI

Code type from the left & BMI from the right.	Code
Overweight	E66.3
Obese	E66.9
Underweight	R63.6

85th to < 95th % for age

Z68.53

= / > 95th % for age

Z68.54

< 5th % for age

Z68.51

Underweight Conditions (code also BMI)

Abnormal weight loss	R63.4
Failure to thrive, child	R62.51
Failure to thrive, adult	R62.7
Physical growth retardation	R62.52
due to malnutrition	E45
Anorexia (appetite loss)	R63.0

Other Miscellaneous Dx

Inappropriate diet/eating habits	Z72.4
Inadequate diet causing nutritional deficiency	E63.9
Polyphagia (excessive eating)	R63.2
Here to discuss test findings	Z71.2
Dietary counseling and surveillance	Z71.3
Use additional code for associated condition	
Lack of physical exercise	Z72.3
Worried well (concerns, but no problem)	Z71.1

Deficiencies, Vitamins

Vitamin A	E50.-
Thiamine	E51.-
Niacin	E52
Folate (folic acid)	E53.8
Vitamin C	E54
Vitamin D	E55.9
Vitamin E	E56.0
Vitamin K	E56.1

Deficiencies, Elements

Calcium	E58
Zinc	E60
Other	E61.-

Starvation

Initial visit	T73.0xxA
FU visit	T73.0xxD
Visit for sequela (code also the condition)	T73.0xxS

PREGNANCY

Supervision Normal Pregnancy

Assign Supervision Normal Pregnancy if no complications or risk factors exist. Code Z34 codes **may not** be reported with other pregnancy codes.

	Root Code	*		
First normal pregnancy	Z34.0*	1	2	3
Subsequent normal pregnancy	Z34.8*	1	2	3
Routine postpartum follow-up visit	Z39.2			
Pregnancy state, incidental	Z33.1			

Assign gestational weeks for all visits

<8 weeks	Z3A.01	26 weeks	Z3A.26
8 weeks	Z3A.08	27 weeks	Z3A.27
9 weeks	Z3A.09	28 weeks	Z3A.28
10 weeks	Z3A.10	29 weeks	Z3A.29
11 weeks	Z3A.11	30 weeks	Z3A.30
12 weeks	Z3A.12	31 weeks	Z3A.31
13 weeks	Z3A.13	32 weeks	Z3A.32
14 weeks	Z3A.14	33 weeks	Z3A.33
15 weeks	Z3A.15	34 weeks	Z3A.34
16 weeks	Z3A.16	35 weeks	Z3A.35
17 weeks	Z3A.17	36 weeks	Z3A.36
18 weeks	Z3A.18	37 weeks	Z3A.37
19 weeks	Z3A.19	38 weeks	Z3A.38
20 weeks	Z3A.20	39 weeks	Z3A.39
21 weeks	Z3A.21	40 weeks	Z3A.40
22 weeks	Z3A.22	41 weeks	Z3A.41
23 weeks	Z3A.23	42 weeks	Z3A.42
24 weeks	Z3A.24	> 42 weeks	Z3A.49
25 weeks	Z3A.25	Unspecified	Z3A.00

Supervision of High Risk Pregnancy

Assign High Risk Pregnancy codes when:

- (1) Patient had a problem in previous pregnancy or,
- (2) has had a condition that may complicate this pregnancy or,
- (3) has other factors that increase risk in current pregnancy.

* May code high risk w/O00-O08, but not for same condition.

* Do not code high risk O09.xx codes with Z34.xx codes.

Replace the * with trimester 1, 2 or 3	Root Code	*		
High risk due to; insufficient antenatal care	O09.3*	1	2	3
history of pre-term labor	O09.21*	1	2	3
history of infertility	O09.0*	1	2	3
history of ectopic pregnancy	O09.1*	1	2	3
history of molar pregnancy	O09.A*	1	2	3
current social problems;	O09.7*	1	2	3
elderly primigravida age =/> 35 @ delivery	O09.51*	1	2	3
elderly multigravida age =/> 35 @ delivery	O09.52*	1	2	3
young primigravida age< 16 @ delivery	O09.61*	1	2	3
young multigravida age< 16 @ delivery	O09.62*	1	2	3
poor OB Hx, or poor reproductive Hx	O09.29*	1	2	3
other documented reason for high risk	O09.89*	1	2	3

Complications of Pregnancy

Anemia <i>Assign also code for type of anemia</i>	O99.01*	1	2	3
UTI in pregnancy	O23.4*	1	2	3
Bladder infection during pregnancy	O23.1*	1	2	3
Kidney infection during pregnancy	O23.0*	1	2	3
Vomiting, mild, before end of 20 weeks	O21.0			
Vomiting after 20 weeks (<i>excessive vomiting</i>)	O21.2			

Obesity, Weight & Malnutrition

Obesity <i>Also report specific type of obesity E66.-</i>	O99.21*	1	2	3
Weight gain, excessive	O26.0*	1	2	3
Weight gain, low/inadequate	O26.1*	1	2	3
Malnutrition in pregnancy	O25.1*	1	2	3

More Complications of Pregnancy

Bleeding, TA, Preterm & Post Dates

	Root Code	*		
Spotting, <i>Not hemorrhage</i>	O26.85*	1	2	3
Hemorrhage (other) in early pregnancy	O20.8			
Threatened abortion	O20.0			
Preterm labor without delivery	O60.0*		2	3
False labor before 37 weeks	O47.0*		2	3
Post term pregnancy >40 wks to 42 wks	O48.0			
beyond 42 weeks	O48.1			

Other Complications

Miscarriage/SAB w/o comp; Incomplete	O03.4			
Miscarriage/SAB w/o comp; Complete	O03.9			
Missed abortion	O02.1			
Placenta previa w/o hemorrhage	O44.0*	1	2	3
Placenta previa with hemorrhage	O44.1*	1	2	3
HTN, pre-existing	O10.01*	1	2	3
HTN, gestational w/o significant proteinuria	O13.*	1	2	3
Pre-eclampsia, mild to moderate	O14.0*		2	3
Pre-eclampsia, severe	O14.1*		2	3
HELLP syndrome	O14.2*		2	3
Eclampsia	O15.0*		2	3
Edema, Gestational	O12.0*	1	2	3
Proteinuria, Gestational	O12.1*	1	2	3
Edema & proteinuria, Gestational	O12.2*	1	2	3
Abnormal GTT in pregnancy	O99.810			
GBS carrier in pregnancy	O99.820			
Uterine size date discrepancy	O26.84*	1	2	3

Pre-existing Diabetes

DM2, pre-existing	O24.11*	1	2	3
DM2, pre-existing, postpartum/puerperium	O24.13			
<i>Add code for all DM2's on insulin</i> HCC	Z79.4			
DM1, pre-existing	O24.01*	1	2	3
DM1, pre-existing, postpartum/puerperium	O24.03			

Gestational Diabetes

diet controlled, antepartum	O24.410			
insulin controlled, antepartum	O24.414			
oral hypoglycemic controlled, antepartum	O24.415			
diet controlled, puerperium	O24.430			
insulin controlled, puerperium	O24.434			
hypoglycemic med controlled, puerperium	O24.435			
History of Gestational Diabetes	Z86.32			

Smoking Assign also F17.- code below to identify type of nicotine

Smoking tobacco, antepartum	O99.33*	1	2	3
Smoking tobacco, puerperium	O99.335			

Alcohol & Drug Use Assign also codes re: abuse/dependence

Alcohol use in pregnancy <i>Assign also F10 -</i>	O99.31*	1	2	3
Drug use in pregnancy <i>Assign F11-F19 code</i>	O99.32*	1	2	3

Mental Disorders

Assign this code <i>plus a code for the specific condition. See F20-F99.</i>	O99.34*	1	2	3
Anxiety, generalized	F41.1			
Bipolar, unspec (more options avail.) HCC	F31.9			

Report **Nicotine influence** with pregnancy: ie, Current cigarette smoker F17.210. See page 18 for other nicotine coding options.

Report all conditions that require or impact care today. See pg 25 for SDOH impacting care: ie, homelessness

FAMILY PLANNING AND STIs

Family Planning/Contraception		Code	Female GYN Signs/Symptoms	Code
INITIAL CONTRACEPTION - by method				
Advice only today regarding contraception		Z30.09	Amenorrhea, unspecified	N91.2
Oral contraceptive pill		Z30.011	Cervicitis, unspecified organism	N72
Injectable contraceptive		Z30.013	DUB, unspecified	N93.8
IUD prescribed but no insertion today		Z30.014	Dysmenorrhea <i>cramps/pain</i>	N94.6
IUD insertion today		Z30.430	Dyspareunia, superficial <i>painful intercourse</i>	N94.11
Vaginal ring hormone		Z30.015	Dyspareunia, deep	N94.12
Transdermal patch hormone		Z30.016	Dypareunia, other specified	N94.19
Implantable subdermal		Z30.017	Irregular menstrual cycle	N92.6
Other method (other than above; e.g. Condoms)		Z30.018	Leukorrhea <i>DC not confirmed infection</i>	N89.8
EC Emergency contraception		Z30.012	Menorrhagia	N92.0
Follow-Up Contraception - by method			Metrorrhagia / <i>break through bleed</i>	N92.1
Advice only today regarding contraception		Z30.09	Oligomenorrhea <i>infrequent/light</i>	N91.5
Oral contraceptive pill		Z30.41	Pain, abdominal generalized	R10.84
Injectable contraceptive		Z30.42	Pain, pelvic	R10.2
IUD: insertion today		Z30.430	Premenstrual tension syndrome	N94.3
Interim Follow-up /Routine checking		Z30.431	Vaginal discharge	N89.8
Removal of IUD only today		Z30.432	Vaginitis, bacterial <i>Organism known? See ICD10</i>	N76.0
Removal and reinsertion of IUD		Z30.433	Vaginitis, yeast <i>Candidiasis</i>	B37.3
Vaginal ring hormone		Z30.44	Vaginitis, acute <i>Organism known? see ICD10</i>	N76.0
Transdermal patch hormone		Z30.45	Lesions	
Implantable subdermal		Z30.46	Herpetic ulceration vulva	A60.04
Other method (other than above; e.g. Condoms)		Z30.49	Warts, anogenital (venereal) <i>C. acuminatum</i>	A63.0
EC Emergency contraception		Z30.012	Conditions Reserved for Males	
Preventive Examinations			Painful coitus or ejaculation, male	N53.12
ANNUAL, COMPLETE: <i>no abnormal findings</i>		Z00.00	Benign cyst of testis	N44.2
with abnormal findings today, <i>(code also)</i>		Z00.01	Erectile dysfunction, organic	N52.9
<i>If cervical pap today, code also</i>		Z12.4	Hemospermia	R36.1
GYN EX ONLY: <i>no abnormal findings</i>		Z01.419	Herpesviral infection: penis	A60.01
with abnormal findings today, <i>(code also)</i>		Z01.411	Balanitis <i>(Add Code - infectious agent: B95-B97)</i>	N48.1
Screening (Patient w/o signs/symptoms)			Orchitis	N45.2
Pregnancy test today - negative		Z32.02	Epididymitis	N45.1
Positive results today		Z32.01	Epididymo-orchitis	N45.3
Results cannot be confirmed today		Z32.00	Penile discharge	R36.9
Anemia, iron deficiency		Z13.0	Prostatitis, acute	N41.0
Breast cancer screening exam only today		Z12.39	Stress incontinence, male	N39.3
Breast - ordering mammogram today		Z12.31	Varicocele of scrotum	I86.1
Chlamydial infection screening		Z11.8	Urethritis, nonspecific	N34.1
HIV (screening for)		Z11.4	Syphilis	
HPV (screening for)		Z11.51	Primary, genital	A51.0
Screening Other STD/STI		Z11.3	Primary, anal	A51.1
Urinary Concerns			Primary, other sites	A51.2
Cystitis, acute w/o hematuria		N30.00	Infections- By Organism & Anatomy	
with hematuria		N30.01	Candidiasis , vulvovaginitis or thrush Female	B37.3
Dysuria		R30.0	Cystitis and urethritis Female/Male	B37.41
Hematuria, gross		R31.0	Chlamydial Infection , vulvovaginitis FE	A56.02
Hematuria, microscopic - benign		R31.1	Cystitis and urethritis FE/M	A56.01
Asymptomatic microscopic hematuria		R31.21	Cervicitis FE	A56.09
Other microscopic hematuria		R31.29	Anus and rectum FE/M	A56.3
Stress incontinence, female		N39.3	Lower GU tract, anatomy unspecified FE/M	A56.00
Urethritis, unspecified		N34.1	Other chlamydial infect. (eg, epididymitis/orchitis)	A56.19
Urinary frequency		R35.0	Gonorrheal Infection , vulvovaginitis	A54.02
Urinary hesitancy		R39.11	Cystitis and urethritis Female/Male	A54.01
Urinary straining		R39.16	Cervicitis FE	A54.03
Urinary urgency		R39.15	Anus FE/M	A54.6
UTI (urinary tract infection) <i>(ID organism)</i>		N39.0	Lower GU tract, anatomy unspecified FE/M	A54.00

FAMILY PLANNING AND STIs

Infections- By Organism & Anatomy - Cont.	Code	Risk Issues (<i>carrier/suspected carrier</i>)	Code
Herpesviral, anogenital [h simplex] vaginitis	A60.04	GC carrier or suspected carrier	Z22.4
Cervicitis FE	A60.03	STI/STD carrier/suspected carrier	Z22.4
Perianal skin and rectum FE/M	A60.1	Hepatitis B , chronic, viral; carrier <i>HCC</i>	B18.1
Penis M	A60.01	Hepatitis C , chronic, viral; carrier <i>HCC</i>	B18.2
Male genital organs, other than penis M	A60.02	High risk sexual behavior	
Herpes, urogenic, unspecified FE/M	A60.00	Heterosexual	Z72.51
Hepatitis A , acute	B15.9	Bisexual	Z72.53
Hepatitis B , acute	B16.9	Homosexual	Z72.52
Hepatitis C , chronic <i>HCC</i>	B18.2	Physical Abuse Dx Codes	
HIV positive & asymptomatic (not AIDS) <i>HCC</i>	Z21	<i>Replace dash (-) with; A = initial (active tx); D = FU (healing); or S = sequela</i>	
HIV/AIDS <i>HCC</i>	B20	Suspected abuse ; physical abuse of an adult	T76.11x-
HPV, Human papillomavirus	A63.0	sexual abuse of adult	T76.21x-
Trichomoniasis Infection , vulvovaginitis FE	A59.01	physical abuse of a child	T76.12x-
Cystitis and urethritis FE/M	A59.03	sexual abuse of a child	T76.22x-
Cervicitis FE	A59.09	Confirmed abuse ; physical abuse of adult	T74.11x-
PID , acute <i>pelvic inflammatory disease</i>	N73.0	sexual abuse of adult	T74.21x-
PID , chronic	N73.1	physical abuse of a child	T74.12x-
Counseling		sexual abuse of a child	T74.22x-
Counseling re: STI/STD	Z71.89	Abuse (physical) of adult has now been ruled	Z04.71
Counseling re: HIV <i>negative or positive</i>	Z71.7	Abuse (physical) of child has now been ruled	Z04.72
Exposure as a Dx		Underdosing of Prescribed Medication by Patient	
Infection, primarily sexual transmission	Z20.2	<i>Code first, underdosing of medication (T36-T50) with fifth or sixth character of "6", then code intent and reason (below)</i>	
HIV, exposure to	Z20.6	<i>Replace dash (-) with; A = initial (active tx); D = FU (healing); or S = sequela</i>	
History Of		1. <i>Underdosing, oral contraceptives</i>	T38.4x6-
Personal hx of infection (e.g., STD)	Z86.19	2. <i>Then code also intent and reason from below.</i>	
Procreation Dx		INTENTIONAL underdosing of med(s) by patient	
Procreative counseling	Z31.69	due to financial hardship	Z91.120
using natural family planning	Z31.61	for any other reason	Z91.128
Infertility, female NOS	N97.9	UNINTENTIONAL underdosing of med(s) by pt	
Infertility, male NOS	N46.9	due to age-related debility	Z91.130
		for any other reason	Z91.138

Report all conditions that require or impact care today. See pg 25 for SDOH impacting care: ie, homelessness

PEDIATRIC CONDITIONS			
Preventive Visits (Primary-only dxs)		Code	
Routine infant or child check		Z00.129	
with abnormal findings (code findings)		Z00.121	
Newborn < 8 days old (e.g., weight/color check)		Z00.110	
8-28 days old		Z00.111	
Exam of the ears and hearing (normal exam)		Z01.10	
following failed hearing screening		Z01.110	
with other abnormal findings (code findings)		Z01.118	
Exam of the eyes/vision (normal exam)		Z01.00	
with abnormal findings (code findings)		Z01.01	
Sports physical		Z02.5	
Adoption exam		Z02.82	
Screenings			
Screening; unspecified developmental delays		Z13.40	
autism		Z13.41	
for global developmental delays (milestones)		Z13.42	
for other developmental delays		Z13.49	
Immunizations			
Encounter for immunizations		Z23	
Immunization not carried; caregiver refusal		Z28.82	
Encounter for prophylactic immunotherapy for		Z29.11	
Otitis and Other Ear Infections			
OM, nonsuppurative, serous & acute; RIGHT		H65.01	
left ear		H65.02	
bilateral		H65.03	
recurrent right ear		H65.04	
recurrent left ear		H65.05	
recurrent bilateral		H65.06	
OM, nonsuppurative, serous & CHRONIC; RIGHT		H65.21	
left ear		H65.22	
bilateral		H65.23	
OM, suppurative & acute & TM intact RIGHT		H66.001	
left ear		H66.002	
bilateral		H66.003	
recurrent right ear		H66.004	
recurrent left ear		H66.005	
recurrent bilateral		H66.006	
OM, suppurative & acute TM rupture, RIGHT		H66.011	
left ear		H66.012	
bilateral		H66.013	
recurrent right ear		H66.014	
recurrent left ear		H66.015	
recurrent bilateral		H66.016	
OM, suppurative, tubotympanic, chronic, RIGHT		H66.11	
left ear		H66.12	
bilateral		H66.13	
Otitis externa, acute Right ear		H60.501	
left ear		H60.502	
bilateral		H60.503	
Otitis externa, chronic Right ear		H60.61	
left ear		H60.62	
bilateral		H60.63	
ADHD			
predominately inattentive type		F90.0	
predominately hyperactive type		F90.1	
combined		F90.2	
Asthma			
Asthma, mild & intermittent			Code
uncomplicated			J45.20
with acute exacerbation			J45.21
with status asthmaticus			J45.22
Asthma, mild & persistent			
uncomplicated			J45.30
w/acute exacerbation			J45.31
with status asthmaticus			J45.32
Asthma, moderate & persistent			
uncomplicated			J45.40
with acute exacerbation			J45.41
with status asthmaticus			J45.42
Asthma, severe & persistent			
uncomplicated			J45.50
with acute exacerbation			J45.51
with status asthmaticus			J45.52
Asthma, severity not stated			J45.909
with acute exacerbation			J45.901
with status asthmaticus			J45.902
Asthma, exercise induced			J45.990
Asthma, cough variant			J45.991
Family history of asthma			Z82.5
Conjunctivitis			
Conjunctivitis, mucopurulent		H10.9	
Acute Follicular			
right eye		H10.011	
left eye		H10.012	
bilateral		H10.013	
Other mucopurulent			
right eye		H10.021	
left eye		H10.022	
bilateral		H10.023	
Acute atopic			
right eye		H10.11	
left eye		H10.12	
bilateral		H10.13	
Serous, except viral			
right eye		H10.231	
left eye		H10.232	
bilateral		H10.233	
Viral		B30.9	
Other Respiratory and ENT Dx			
Bronchitis, acute		J20.9	
Cerumen impaction, Right ear		H61.21	
left ear		H61.22	
bilateral		H61.23	
Cough		R05	

PEDIATRIC CONDITIONS			
Rhinitis - Code tobacco exposure		Code	
acute		J00	
allergic		J30.9	
chronic		J31.0	
Laryngitis, acute w/o obstruction		J04.0	
with obstruction (croup)		J05.0	
chronic		J37.0	
Pharyngitis, acute		J02.9	
Sinusitis - Code tobacco exposure			
ethmoidal		J01.20	
recurrent		J01.21	
chronic		J32.2	
frontal, acute		J01.10	
recurrent		J01.11	
chronic		J32.1	
maxillary, acute		J01.00	
recurrent		J01.01	
chronic		J32.0	
pansinusitis, acute		J01.40	
recurrent		J01.41	
chronic		J32.4	
sphenoid, acute		J01.30	
recurrent		J01.31	
chronic		J32.3	
Weight Management			
Failure to Thrive child		R62.51	
Newborn		P92.6	
Delayed milestones (childhood)		R62.0	
Short stature		R62.52	
Sprain 7th character - A=initial, D=subsequent, S=sequela			
RIGHT ankle, unspecified ligament		S93.401-	
LEFT ankle, unspecified ligament		S93.402-	
RIGHT ankle, deltoid ligament		S93.421-	
LEFT ankle, deltoid ligament		S93.422-	
Underdosing by Patient Also code drug from T36-T50			
intentional NEC		Z91.128	
due to financial hardship		Z91.120	
unintentional NEC		Z91.138	
Physical Abuse Dx Codes			
Replace dash (-) with; A = initial (active tx); D = FU (healing); or S = sequela			
Suspected abuse; physical abuse of a child		T76.12x-	
sexual abuse of a child		T76.22x-	
Confirmed abuse; physical abuse of child		T74.12x-	
sexual abuse of a child		T74.22x-	
Abuse (physical) of child has now been ruled-out		Z04.72	
Counseling For:			
Alcohol abuse		Z71.41	
Contraception		Z30.09	
Dietary (Add code: BMI & underlying condition)		Z71.3	
Tobacco		Z71.6	
Peds - Misc			
Zika virus		A92.5	
Family history of SIDS		Z84.82	
Maternal Use Drugs Affecting Newborn			
Newborn affected by maternal use; opiates		P04.14	
antidepressants		P04.15	
amphetamines		P04.16	
sedative-hypnotics		P04.17	
Epistaxis		R04.0	
Gastroenteritis		K52.9	
Otalgia, Right ear		H92.01	
left ear		H92.02	
Pneumonia		J18.9	
Swimmer's ear, Right ear		H60.331	
left ear		H60.332	
bilateral		H60.333	
Tonsillitis, acute		J03.90	
chronic		J35.01	
Adenoiditis, chronic		J35.02	
Tonsillitis with adenoiditis, chroni		J35.03	
URI		J06.9	
Viral syndrome		B97.89	
FOREIGN BODY (7th - A=initial, D= FU, S=sequela)			
Nostril		T17.1XX-	
Ear; RIGHT		T16.1XX-	
LEFT		T16.2XX-	
Dermatology			
Acne		L70.8	
Eczema		L30.9	
Impetigo		L01.00	
LICE; Head		B85.0	
Body		B85.1	
Rash		R21	
Plantar wart		B07.0	
Sunburn; First degree		L55.0	
Second degree		L55.1	
Urticaria		L50.9	
GI/GU Dx			
Abdominal Pain, acute		R10.0	
RUQ		R10.11	
LUQ		R10.12	
RLQ		R10.31	
LLQ		R10.32	
Epigastric		R10.13	
Periumbilical		R10.33	
Generalized		R10.84	
Dental caries, unspecified		K02.9	
Diarrhea		R19.7	
UTI		N39.0	
Constipation		K59.00	
GERD		K21.9	
Dysuria		R30.0	
Nausea		R11.0	
with vomiting		R11.2	
Vomiting alone		R11.11	
Signs/Symptoms			
Chest pain		R07.9	
Dizziness		R42	
Fatigue		R53.83	
Fever		R50.9	
Headache		R51	
TB Study: Contact or exposure to		Z20.1	
Nonspec. Reac. to TB skin test		R76.11	
Screening respiratory tuberculo		Z11.1	
Syncope		R55	
Report Nicotine influence: ie, 2nd hand tobacco smoke exposure Z77.22. See page 18 for other options.			

RESPIRATORY CONDITIONS

Bronchitis J20 & J44		Code	Asthma J45		Code
Bronchitis, acute; <i>organism unknown</i>		J20.9	Asthma, if chronic obstructive, see COPD w/asthma left column		
<i>Organism known, but no code exists it.</i>		J20.8	Asthma, mild & intermittent		
Bronchitis, acute; choose based on organism			uncomplicated		J45.20
mycoplasma pneumonia		J20.0	with acute exacerbation		J45.21
hemophilus influenzae		J20.1	with status asthmaticus		J45.22
streptococcus		J20.2	Asthma, mild & persistent		
coxsackievirus		J20.3	uncomplicated		J45.30
parainfluenza virus		J20.4	with acute exacerbation		J45.31
respiratory syncytial virus (RSV)		J20.5	with status asthmaticus		J45.32
rhinovirus		J20.6	Asthma, moderate & persistent		
echovirus		J20.7	uncomplicated		J45.40
Bronchitis, (acute) w/COPD codes to COPD		J44.0	with acute exacerbation		J45.41
Bronchitis, chronic; choose from below			with status asthmaticus		J45.42
simple and chronic		J41.0	Asthma, severe & persistent		
obstructive without exacerbation		J44.9	uncomplicated		J45.50
obstructive with (acute) exacerbation		J44.1	with acute exacerbation		J45.51
mucopurulent		J41.1	with status asthmaticus		J45.52
mixed simple & mucopurulent		J41.8	Asthma, severity not stated		J45.909
with (acute) lower resp infection (code also infection)		J44.0	with acute exacerbation		J45.901
with acute exacerbation of asthma		J44.1	with status asthmaticus		J45.902
COPD J44			Asthma, exercise induced		J45.990
Chronic Obstructive Pulmonary Disease		J44.9	Asthma, cough variant		J45.991
with acute exacerbation		J44.1	Family hx asthma/lower resp disease		Z82.5
with (acute) lower resp infection (code also infectio		J44.0	EMR ICD-10 Search Tips : Search Asthma by severity (e.g., mild, moderate or severe); then by quality (e.g., intermittent or persistent); then today's status (uncomplicated, exacerbation		
with asthma (code also Asthma type J45-)		J44.9			
with asthma exacerbation (code also asthma)		J44.1	Respiratory S/S, Status & Hx Codes		
Pneumonia J12, J14, J15 & J18			Abnormal; chest sounds/rales		R09.89
Pneumonia, no organism specified		J18.9	x-ray of lung		R91.8
Pneumonia, viral, choose from below -			pulmonary function studies		R94.2
adenovirus		J12.0	Bronchospasm, acute		J98.01
respiratory syncytial virus (RSV)		J12.1	Chest pain on breathing		R07.1
parainfluenza virus		J12.2	Cough (chronic) (if smoker's cough, use J41.0)		R05
SARS-associated coronavirus		J12.81	Cyanosis		R23.0
viral, unspecified		J12.9	Dyspnea / respiratory distress		R06.00
Pneumonia, bacterial, organism unspecified		J15.9	Fatigue, lethargy, or decreased energy		R53.83
Pneumonia, bacterial, choose from below -			Fever		R50.9
hemophilus influenzae		J14	Hyperventilation		R06.4
pseudomonas		J15.1	Hypoxia or Hypoxemia		R09.02
staphylococcus		J15.20	Oxygen dependence (supplemental)		Z99.81
streptococcus, Group A		J15.4	Pleural effusion		J90
streptococcus, other than Group A		J15.4	Respiratory; insufficiency		R06.89
anaerobes		J15.8	Shortness of breath		R06.02
E.coli (Escherichia coli)		J15.5	Sputum, abnormal/excessive		R09.3
other gram-negative bacteria		J15.6	Stridor		R06.1
bacteria, other than above		J15.8	Tightness, chest		R07.89
Pneumonia, MRSA		J15.212	URI		J06.9
Pneumonia, MSSA		J15.211	Wheezing		R06.2
Pneumonia, idiopathic, interstitial		J84.111	Status codes (assign when present)		
Emphysema J43			Tracheostomy, status	HCC	Z93.0
Emphysema, unilateral pulmonary		J43.0	Lung transplant status	HCC	Z94.2
panlobular emphysema		J43.1	Personal history of;		
centrilobular emphysema		J43.2	recurrent pneumonia		Z87.01
other emphysema, not listed here		J43.8	other respiratory diseases		Z87.09
unspecified, (when documentation does not identif		J43.9	Report Nicotine influence with respiratory problems: ie, Current cigarette smoker F17.210. See page 18 for other options.		
COVID-19					
COVID-19, effective 4/1/20 See pg 15 for more detail		U07.1			

COVID-19

COVID-19	Code	COVID-19 Vaccine and Administration CPT Codes	
COVID-19 infection (confirmed cases only)	U07.1	Pfizer-BioNTech SARS-CoV-2 diluent vaccine admin	91300
<i>Also code associated manifestations</i>		Pfizer-BioNTech SARS-CoV-2 Administration 1st dose	0001A
Encounter for screening for COVID-19	Z11.52	Pfizer-BioNTech SARS-CoV-2 Administration 2nd dose	0002A
Contact with & (suspected) exposure to COVID-19	Z20.822	Pfizer-BioNTech SARS-CoV-2 Administration 3rd dose	0003A
Personal history of COVID-19	Z86.16	Pfizer-BioNTech SARS-CoV-2 Administration Booster	0004A
Multisystem inflammatory syndrome	M35.81	Pfizer tris-sucros formulation Vaccination	91305
Other spec systemic involvement of connective tissue	M35.89	Pfizer tris-sucros formulation 1st dose	0051A
Pneumonia due to coronavirus disease 2019	J12.82	Pfizer tris-sucros formulation 2nd dose	0052A
Signs/Symptoms with no COVID-19 Diagnosis		Pfizer tris-sucros formulation 3rd dose	0053A
Cough	R05	Pfizer tris-sucros formulation Booster	0054A
Shortness of breath	R06.02	Pfiser diluent, reconstituted, tris-sucros formulation 5-11 years	91307
Fever, unspecified	R50.9	Pfiser diluent, reconstituted, tris-sucros 1st dose	0071A
<i>and other signs/symptoms as appropriate</i>		Pfiser diluent, reconstituted, tris-sucros 2nd dose	0072A
Pregnancy			
COVID-19 is reason for encounter (first listed)	O98.5-	Moderna SARS-CoV-100mcg/.5ml Vaccine <i>ages 18+</i>	91301
<i>Also code COVID-19 infection</i>	U07.1	Moderna SARS-CoV-2 Administration 1st dose	0011A
<i>ICD-10 Guidelines: I.C.15.s</i>		Moderna SARS-CoV-2 Administration 2nd dose	0012A
Newborn		Moderna SARS-CoV-2 Administration 3rd dose	0013A
COVID-19 infection (confirmed cases only)		Moderna SARS-CoV-50mcg/.25ml Vaccine <i>ages 18+</i>	91306
<i>Also code associated manifestations</i>		Moderna SARS-CoV-50mcg/.25ml 1st dose	0064A
COVID-10 contracted in utero or during birth process	P35.8		
<i>ICD-10 Guidelines: I.C.16.h</i>		AstraZeneca SARS-CoV-2 Vaccine (<i>Pending auth</i>)	91302
Antibody Testing		AstraZeneca SARS-CoV-2 Administration 1st dose	0021A
Encounter for antibody response examination	Z01.84	AstraZeneca SARS-CoV-2 Administration 2nd dose	0022A
Confirmed COVID-19 Prior to 12/31/2020			
COVID-19 infection (confirmed cases only) First listed	U07.1	Janssen Vaccine Admin	91303
<i>Also code associated manifestations</i>		Janssen Vaccine Admin 1st dose	0031A
Other viral pneumonia	J12.9		
Acute bronchitis due to other specified organisms	J20.8	Novavax Vaccine Admin	91304
<i>Bronchitis, not specified as acute or chronic</i>	J40	Novavax 1st dose	0041A
Unspecified acute lower respiratory infection	J22	Novavax 2nd dose	0042A
Other specified respirator disorders	J98.8		
Acute respiratory distress syndrome	J80	Astra Zeneca Vaccine Administration	91302
Acute respiratory failure	J96.0-	Astra Zeneca 1st dose	0021A
Personal history of COVID-19	Z86.19	Astra Zeneca 2nd dose	0022A
Follow up evaluation after COVID-19 resolved (neg test)	Z09	COVID-19 Vaccine ICD10 Codes	Code
<i>+Personal history of COVID-19</i>	Z86.19	Encounter for immz safety counseling (<i>also code one below</i>)	Z71.85
<i>Post Covid-19 condition, unspecified</i>	U09.9	Vaccine not given d/t Patient's refusal	Z28.21
		Encounter for immunization (<i>administration today</i>)	Z23
See ICD10CM guidelines section 1.C.g.1 for information of diagnosis reporting for COVID19		Exposure to COVID-19	
Report Nicotine influence with Respiratory conditions : ie, Current cigarette smoker F17.210. See page 18 for other nicotine coding options.		Contact with &(suspected) exposure to other viral communicable diseases	Z20.828

CHRONIC PAIN AND SUBSTANCE USE DISORDERS

Chronic Pain & Medication Management				Code	Cannabis Dependence (DSM "moderate / severe")	Code
Coding chronic pain management: List 1st the chronic pain Dx, then the clinical reason Dx, followed by "Therapeutic monitoring" Dx, and finally High-risk medication Dx, if appropriate. See 1-4 below.					Cannabis dependence; uncomplicated	HCC 55 F12.20
1. Chronic Pain Syndrome					Cannabis dependence; in remission	HCC 55 F12.21
Chronic Pain, unspecified				G89.29	Cannabis dependence; with withdrawal	F12.23
due to; trauma				G89.21	with cannabis-induced; with anxiety disorder	HCC 55 F12.280
neoplasm related				G89.3	with psychotic disorder with delusions	HCC 54 F12.250
2. Common conditions causing chronic pain					with psychotic disorder with hallucinations	HCC 54 F12.251
Arthropathy				M12.9	Cannabis dependence w/intoxication; uncomplicated	HCC 55 F12.220
Fibromyalgia				M79.7	with delirium	HCC 55 F12.221
Lumbago				M54.5	with perceptual disturbance	HCC 55 F12.222
Rheumatoid arthritis				HCC 40 M06.9	Cannabis Use (w/o abuse or dependence) & Cannabis Poisoning	
Pain disorder with related psychological factors				F45.42	Cannabis use, unspecified & uncomplicated	F12.90
Medication Management (detailed documentation)					See F12.9x for other cannabis "use" diagnoses	
3. Therapeutic drug monitoring (code also #4 and/or #5)				Z51.81	Cannabis poisoning - intent undetermined	T40.7x4 -
4. + Long term (current) use of opiate analgesic				Z79.891	Replace dash (-) with; A=initial (active tx);D= FU (healing); or S=sequela	
5. + Other long term (current) drug therapy				Z79.899	Cocaine Abuse ("mild") See DSM5 pg. 561	
Alcohol Abuse ("mild") See DSM5 pg.490					Cocaine abuse; uncomplicated	F14.10
Alcohol abuse; uncomplicated				F10.10	Cocaine abuse; in remission	F14.11
Alcohol abuse; in remission				F10.11	Cocaine abuse; with other cocaine-induced disorder	HCC 55 F14.188
with alcohol-induced; with anxiety disorder				HCC 55 F10.180	with cocaine-induced; with anxiety disorder	HCC 55 F14.180
with mood disorder				HCC 55 F10.14	with mood disorder	HCC 55 F14.14
with psychotic disorder with delusions				HCC 54 F10.150	with psychotic disorder with delusions	HCC 54 F14.150
with psychotic disorder with hallucinations				HCC 54 F10.151	with psychotic disorder with hallucinations	HCC 54 F14.151
with sexual dysfunction				HCC 55 F10.181	with sexual dysfunction	HCC 55 F14.181
with sleep disorder				HCC 55 F10.182	with sleep disorder	HCC 55 F14.182
Alcohol abuse with intoxication; uncomplicated				HCC 55 F10.120	Cocaine abuse with intoxication; uncomplicated	HCC 55 F14.120
with delirium				HCC 55 F10.121	with delirium	HCC 55 F14.121
Alcohol abuse with withdrawal; uncomplicated				F10.130	with perceptual disturbance	HCC 55 F14.122
unspecified				F10.139	Cocaine Dependence (DSM "moderate / severe")	
Alcohol Dependence (DSM "moderate / severe")					Cocaine dependence; uncomplicated	HCC 55 F14.20
Alcohol dependence; uncomplicated				HCC 55 F10.20	Cocaine dependence; in remission	HCC 55 F14.21
Alcohol dependence; in remission				HCC 55 F10.21	with withdrawal;	HCC 55 F14.23
with withdrawal; uncomplicated				HCC 55 F10.230	with cocaine-induced; with anxiety disorder	HCC 55 F14.280
with delirium				HCC 54 F10.231	with mood disorder	HCC 55 F14.24
with perceptual disturbance				HCC 54 F10.232	with psychotic disorder with delusions	HCC 54 F14.250
with alcohol-induced; with anxiety disorder				HCC 55 F10.280	with psychotic disorder with hallucinations	HCC 54 F14.251
with mood disorder				HCC 55 F10.24	with sexual dysfunction	HCC 55 F14.281
with persisting amnesic disorder				HCC 54 F10.26	with sleep disorder	HCC 55 F14.282
with persisting dementia				HCC 54 F10.27	Cocaine dependence with intoxication; uncompl	HCC 55 F14.220
with psychotic disorder delusions				HCC 54 F10.250	with delirium	HCC 55 F14.221
with psychotic disorder hallucinations				HCC 54 F10.251	with perceptual disturbances	HCC 55 F14.222
with sexual dysfunction				HCC 55 F10.281	Cocaine abuse, unspecified with withdrawal	F14.13
with sleep disorder				HCC 55 F10.282	Cocaine Use (w/o abuse or dependence) & Cocaine Poisoning	
Alcohol dependence with intoxication; uncompl				HCC 55 F10.220	Cocaine use unspecified & uncomplicated	F14.90
with delirium				HCC 55 F10.221	See F14.9x for other cocaine "use" diagnoses	
Alcohol Use (w/o abuse or dependence) & Alcohol Poisoning					Cocaine poisoning -intent undetermined	T40.5x4 -
Alcohol use, unspecified with withdrawal; uncompl				F10.930	Replace dash (-) with; A=initial (active tx);D= FU (healing); or S=sequela	
unspecified				F10.939	Cocaine use, unspecified with withdrawal	F14.93
Alcohol use unspec w/ unspec alcohol-induced disorder				F10.99	Opioid Abuse ("mild") See DSM5 pg. 540	
See F10.9x for other alcohol "use" diagnoses					Opioid abuse; uncomplicated	F11.10
Replace dash (-) with; A=initial (active tx);D= FU (healing); or S=sequela					Opioid abuse; in remission	F11.11
Alcohol poisoning - intent undetermined				T51.0x4 -	with opioid-induced; with mood disorder	HCC 55 F11.14
Blood alcohol level codes					with psychotic disorder with delusions	HCC 54 F11.150
< 20 mg/100 ml	Y90.0	100-119 mg	Y90.5	with psychotic disorder with hallucinations	HCC 54 F11.151	
20-39 mg/100 ml	Y90.1	120-199 mg	Y90.6	with sexual dysfunction	HCC 55 F11.181	
40-59 mg/100 ml	Y90.2	200-239 mg	Y90.7	with sleep disorder	HCC 55 F11.182	
60-79 mg/100 ml	Y90.3	240mg or >	Y90.8	Opioid abuse with other induced disorder	HCC 55 F11.188	
80-99 mg/100 ml	Y90.4	Level not specified	Y90.9	Opioid abuse with intoxication; uncomplicated	HCC 55 F11.120	
				with delirium	HCC 55 F11.121	
				with perceptual disturbance	HCC 55 F11.122	

SUBSTANCE USE DISORDERS

Cannabis Abuse ("mild") See DSM5 pg. 509

Cannabis abuse; uncomplicated	F12.10
Cannabis abuse; in remission	F12.11
with cannabis-induced; with anxiety disorder HCC 55	F12.180
with psychotic disorder with delusions HCC 54	F12.150
with psychotic disorder with hallucinations HCC 54	F12.151
Cannabis abuse with intoxication; uncomplicated HCC 55	F12.120
with delirium HCC 55	F12.121
with perceptual disturbance HCC 55	F12.122
Cannabis abuse with withdrawal	F12.13

Opioid Dependence continued from prev. page

Opioid Dependence	Code
Opioid dependence with other induced disorder HCC 55	F11.288
Opioid dependence with intoxication; uncomplicated HCC 55	F11.220
with delirium HCC 55	F11.221
with perceptual disturbances HCC 55	F11.222

Opioid Use (w/o abuse or dependence) & Opioid Poisoning

Opioid use unspecified & uncomplicated	F11.90
See F11.9x for other opioid "use" diagnoses	
Opioid poisoning - Intent undetermined	T40.2x4 -
Fentanyl poisoning - Intent undetermined	T40.414 -
Tramadol poisoning - Intent undetermined	T40.424 -
Other synthetic narcotic poisoning - Intent undetermined	T40.494 -
Replace dash (-) with; A=initial (active tx); D= FU (healing); or S=sequela	

Stimulant Abuse ("mild") See DSM5 pg. 561

Stimulant abuse; uncomplicated	F15.10
Other stimulant abuse; in remission.	F15.11
with stimulant induced; with anxiety disorder HCC 55	F15.180
with mood disorder HCC 54	F15.14
with psychotic disorder with delusions HCC 54	F15.150
with psychotic disorder with hallucinations HCC 55	F15.151
with sexual dysfunction HCC 55	F15.181
with sleep disorder HCC 55	F15.182
Stimulant abuse with intoxication; uncomplicated HCC 55	F15.120
with delirium HCC 55	F15.121
with perceptual disturbance HCC 55	F15.122
Other stimulant abuse with withdrawal	F15.13

Stimulant Dependence

Stimulant dependence; uncomplicated HCC 55	F15.20
Stimulant dependence; in remission HCC 55	F15.21
with withdrawal HCC 55	F15.23
with stimulant-induced; anxiety disorder HCC 55	F15.280
with mood disorder HCC 55	F15.24
with psychotic disorder with delusions HCC 54	F15.250
with psychotic disorder with hallucinations HCC 54	F15.251
with sexual dysfunction HCC 55	F15.281
with sleep disorder HCC 55	F15.282
Stimulant dependence with intoxication; uncomplicated HCC 55	F15.220
with delirium HCC 55	F15.221
with perceptual disturbances HCC 55	F15.222

Stimulant Use (w/o abuse or dependence) & Stimulant Poisoning

Stimulant use unspecified/uncomplicated	F15.90
See F15.9x for other stimulant "use" diagnoses	
Stimulant poisoning - Intent undetermined	T43.604 -
Replace dash (-) with; A=initial (active tx); D= FU (healing); or S=sequela	

Psychoactive Abuse ("mild") See DSM5 pg. 577

Psychoactive abuse; uncomplicated	F19.10
Other psychoactive substance abuse; in remission	F19.11
with psychoactive-induced; anxiety disorder HCC 55	F19.180
with mood disorder HCC 55	F19.14
with persisting amnesic disorder HCC 54	F19.16

Opioid abuse with withdrawal	F11.13
------------------------------	--------

Opioid Dependence (DSM "moderate / severe")

Opioid dependence; uncomplicated HCC 55	F11.20
Opioid dependence; in remission HCC 55	F11.21
with withdrawal HCC 55	F11.23
with opioid-induced; with mood disorder HCC 55	F11.24
with psychotic disorder with delusions HCC 54	F11.250
with psychotic disorder with hallucinations HCC 54	F11.251
with sexual dysfunction HCC 55	F11.281
with sleep disorder HCC 55	F11.282

Psychoactive Use (not abuse) & Poisoning

Psychoactive use unspecified & uncomplicated	F19.90
See F19.9x for other psychoactive "use" diagnoses.	
Psychoactive poisoning - intent undetermined	T43.94x -
Replace dash (-) with; A=initial (active tx); D= FU (healing); or S=sequela	

Sedative/hypnotic/anxiolytic Abuse ("mild") See DSM5 pg. 550

Sedative abuse; uncomplicated	F13.10
Sedative, hypnotic or anxiolytic abuse; in remission	F13.11
with sedative-induced; with anxiety disorder HCC 55	F13.180
with mood disorder HCC 55	F13.14
with psychotic disorder with delusions HCC 54	F13.150
with psychotic disorder with hallucinations HCC 54	F13.151
with sexual dysfunction HCC 55	F13.181
with sleep disorder HCC 55	F13.182
Sedative abuse with other induced disorder HCC 55	F13.188
Sedative abuse with intoxication; uncomplicated HCC 55	F13.120
with delirium HCC 55	F13.121
Sedative abuse with withdrawal; uncomplicated	F13.130
unspecified	F13.139

Sedative Dependence (DSM "moderate / severe")

Sedative dependence; uncomplicated HCC 55	F13.20
Sedative dependence; in remission HCC 55	F13.21
with withdrawal; uncomplicated HCC 55	F13.230
with delirium HCC 54	F13.231
with perceptual disturbance HCC 54	F13.232
with sedative-induced; with anxiety disorder HCC 55	F13.280
with mood disorder HCC 55	F13.24
with persisting amnesic disorder HCC 54	F13.26
with persisting dementia HCC 54	F13.27
with psychotic disorder delusions HCC 54	F13.250
with psychotic disorder hallucinations HCC 54	F13.251
with sexual dysfunction HCC 55	F13.281
with sleep disorder HCC 55	F13.282
Sedative dependence with other induced disorder HCC 55	F13.288
Sedative dependence with intoxication; uncomplicated HCC 55	F13.220
with delirium HCC 55	F13.221

Sedative Use (w/o abuse or dependence) & Sedative Poisoning

Sedative use unspecified & uncomplicated	F13.90
See F13.9x for other sedative "use" diagnoses	
Sedative poisoning - intent undetermined	T42.74x -
Replace dash (-) with; A=initial (active tx); D= FU (healing); or S=sequela	

Hallucinogen Related Abuse ("mild") See DSM5 pg. 520

Hallucinogen abuse; uncomplicated	F16.10
Hallucinogen abuse; in remission	F16.11
with Hallucinogen-induced; with anxiety disorder HCC 55	F16.180
with induced mood disorder HCC 55	F16.14
with persisting perception disorder (flashbacks) HCC 55	F16.183
with psychotic disorder with delusions HCC 54	F16.150
with psychotic disorder with hallucinations HCC 54	F16.151
Hallucinogen abuse with other induced disorder HCC 55	F16.188

SUBSTANCE USE DISORDERS

with persisting dementia	HCC 54	F19.17
with psychotic disorder with delusions	HCC 54	F19.150
with psychotic disorder with hallucinations	HCC 54	F19.151
with sexual dysfunction	HCC 55	F19.181
with sleep disorder	HCC 55	F19.182
Psychoactive abuse with other induced disorder	HCC 55	F19.188
Psychoactive abuse with intoxication; uncomplic	HCC 55	F19.120
with delirium	HCC 55	F19.121
with perceptual disturbance	HCC 55	F19.122
Psychoactive abuse with withdrawal; uncomplicated		F19.130
Psychoactive Dependence (DSM "moderate / severe")		
Psychoactive dependence; uncomplicated	HCC 55	F19.20
Psychoactive dependence; in remission	HCC 55	F19.21
with withdrawal; uncomplicated	HCC 55	F19.230
with delirium	HCC 54	F19.231
with perceptual disturbance	HCC 54	F19.232
with Psychoactive-induced; with anxiety disorder	HCC 55	F19.280
with mood disorder	HCC 55	F19.24
with psychotic disorder with delusions	HCC 54	F19.250
with psychotic disorder with hallucinations	HCC 54	F19.251
with sexual dysfunction	HCC 55	F19.281
with sleep disorder	HCC 55	F19.282
Psychoactive dependence with other induced di	HCC 55	F19.288
Psychoactive dependence with intoxication; unc	HCC 55	F19.220
with delirium	HCC 55	F19.221
with perceptual disturbances	HCC 55	F19.222
Nicotine Dependence & Exposure See DSM5 pg. 571		
Cigarette; uncomplicated (current smoker) (no related illness)		F17.210
in remission		F17.211
in withdrawal		F17.213
Vapor or "Other" uncomplicated		F17.290
in remission		F17.291
in withdrawal		F17.293
Chewing tobacco, uncomplicated		F17.220
in remission		F17.221
in withdrawal		F17.223
2nd hand tobacco smoke exposure		Z77.22
Occupational tobacco smoke exposure		Z57.31
History of tobacco dependence		Z87.891
Tobacco use, [no dependence]		Z72.0
Vaping-related disorder, effective 4/1/20		U07.0
<i>Use additional code(s) to identify manifestations of vaping-related disorder</i>		
Screening for		
Alcoholism		Z13.89
Behavioral disorder		
Depression		
Neurologic disorder		
HIV		Z11.4
STD/STI		Z11.3
HPV		Z11.51
Intellectual disability		Z13.4
Malnutrition		Z13.29
Medication Management Code also clinical condition(s)		
Code 1st: Therapeutic drug level monitoring		Z51.81
Code +: Other long term (current) drug therapy		Z79.899

Hallucinogen abuse with intoxication; uncomplic	HCC 55	F16.120
with delirium	HCC 55	F16.121
with perceptual disturbance	HCC 55	F16.122
Hallucinogen Dependence (DSM "moderate / severe")		
Hallucinogen dependence; uncomplicated	HCC 55	F16.20
Hallucinogen dependence; in remission	HCC 55	F16.21
with Hallucinogen-induced; with anxiety disorder	HCC 55	F16.280
with mood disorder	HCC 55	F16.24
with persisting perception disorder (flashbacks)	HCC 55	F16.283
with psychotic disorder with delusions	HCC 54	F16.250
with psychotic disorder with hallucinations	HCC 54	F16.251
Hallucinogen dependence with other induced di	HCC 55	F16.288
Hallucinogen dependence with intoxication; unc	HCC 55	F16.220
with delirium	HCC 55	F16.221
Hallucinogen Use (w/o abuse or dependence) & Poisoning		
Hallucinogen use unspecified & uncomplicated		F16.90
<i>See F16.9x for other sedative "use" diagnoses</i>		
Hallucinogen poisoning; intent undetermined		T40.904 -
<i>Replace dash (-) with: A=initial (active tx); D= FU (healing); or S=sequela</i>		
Substance Use In Pregnancy (see ICD Chapter 15)		
<i>Use additional code(s) from F10 to identify manifestations of alcohol use</i>		
Alcohol use complicating pregnancy; 1st trimester		O99.311
2nd trimester		O99.312
3rd trimester		O99.313
<i>Use additional code(s) from F11-F16 to identify manifestations of the drug use</i>		
Drug use complicating pregnancy; 1st trimester		O99.321
2nd trimester		O99.322
3rd trimester		O99.323
<i>Use additional code(s) from F17 to identify type of tobacco nicotine dependence</i>		
Smoking complicating pregnancy; 1st trimester		O99.331
2nd trimester		O99.332
3rd trimester		O99.333
Miscellaneous and Signs/Symptoms		
Noncompliance with medical treatment		Z91.19
Abnormal involuntary movements		R25.9
Abnormal weight gain		R63.5
Abnormal weight loss		R63.4
Underweight		R63.6
BMI of 19 or less		Z68.1
Malnourished; moderate	HCC 21	E44.0
Abnormality of gait		R26.9
Altered mental status		R41.82
Decreased libido		R68.82
Dizziness/giddiness		R42
Excessive crying		R45.83
Fatigue		R53.83
Generalized pain		R52
Headache		R51
Hepatitis C, chronic, viral; carrier	HCC 29	B18.2
Hepatitis C, acute		B17.10
Insomnia		G47.00
Memory loss		R41.3
Nausea		R11.0
Senility w/o mention psychosis		R41.81
Sleep disturbance		G47.9

SUBSTANCE USE DISORDERS

Patient Medication Noncompliance by Self Underdosing of;

Replace dash (-) w/ A=initial (active tx); D=FU (healing); or S=sequela

tetracyclic antidepressants	T43.026 -
tricyclic antidepressants	T43.016 -
other antidepressant	T43.296 -
antipsychotics (phenothiazine)	T43.3x6 -
amphetamines	T43.626 -
other psychostimulant	T43.696 -
antipsychotics and neuroleptics	T43.596 -
barbiturates	T42.3x6 -
benzodiazepines	T42.4x6 -
butyrophenone & thiothixene neuroleptics	T43.4x6 -
cannabis	T40.7x6 -
MAOIs	T43.1x6 -
methadone	T40.3x6 -
methyphenidate (ADD)	T43.636 -
narcotics (synthetic)	T40.4x6 -
opium	T40.0x6 -
other opioid	T40.2x6 -
psychotropic (other)	T43.8x6 -
SSRIs	T43.226 -
Code also PATIENT'S INTENT of underdosing	
INTENTIONAL underdosing of med(s) by patient;	
due to financial hardship	Z91.120
for any other reason	Z91.128
UNINTENTIONAL underdosing by patient;	
due to age-related debility	Z91.130
for any other reason	Z91.138
Other Patient Noncompliance Diagnoses	
Other med. noncompliance (e.g., self overdosing)	Z91.14
Noncompliance w/other medical treatment and regimen	Z91.19
Patient's noncompliance with dietary regimen	Z91.11

Lab Studies - Search for additional in EMR

Encounter other specified exam (AVOID) Not to est care.	Z01.89
Finding, abnormal substance in urine	R82.99
Blood test for alcohol/drugs Code results	Z02.83
<i>Codes for results listed below, assign if known</i>	
Abnormal findings in blood study	
Opiate drug in blood	R78.1
Cocaine in blood	R78.2
Hallucinogen in blood	R78.3
Psychotropic in blood	R78.5
Other addictive substance in blood	R78.4
Other substance in blood	R78.9
Physical Abuse Diagnosis Codes	
<i>Replace dash (-) with; A=initial (active tx);D=FU (healing); or S=sequela</i>	
Suspected abuse; physical abuse/adult	T76.11x -
sexual abuse of adult	T76.21x -
physical abuse of a child	T76.12x -
sexual abuse of a child	T76.22x -
Confirmed abuse; physical abuse/adult	T74.11x -
sexual abuse of adult	T74.21x -
physical abuse of a child	T74.12x -
sexual abuse of a child	T74.22x -
Personal History and Family History Diagnosis Codes	
Personal History of; Alcoholism HCC 55	F10.21
Combat and operational stress	Z86.51
Other Mental & Behavioral Disorders	Z86.59
Family History of psychiatric condition	Z81.8
Family History of substance abuse	Z81.4

PSYCHIATRIC AND RELATED CONDITIONS

ADHD - Features are predominately...(choose)		Code
ADHD; inattentive type		F90.0
ADHD; hyperactive type		F90.1
ADHD; combined (inattentive & hyperactive)		F90.2
ADHD; other type not identified above		F90.8
Anxiety and Related		
Anxiety; generalized		F41.1
Anxiety, mixed (with prominent features of othe		F41.3
Panic disorder; w/o agoraphobia (panic attack) DEF in note		F41.0
with agoraphobia		F40.01
Separation anxiety (of childhood)		F93.0
Other specified anxiety disorder (doc in record, but no code)		F41.8
Social phobia (anxiety) disorder, generalized		F40.11
Acute stress reaction		F43.0
Post-traumatic Stress Disorder		
PTSD; acute		F43.11
PTSD; chronic		F43.12
Anxiety; unspecified	avoid	F41.9
Adjustment Disorders F43.2		
Adjustment disorder; with depressed mood		F43.21
with anxiety		F43.22
with mixed mood (anxiety & depression)		F43.23
with disturbance of conduct		F43.24
with mixed disturbance (emotion/conduct)		F43.25
with other symptoms not noted in available codes		F43.29
Adjustment disorder unspecified	avoid	F43.20
Bipolar Disorders F31		
Consider: manic, depressed or mixed, & mild, moderate or severe. If "severe" select code based on presence/absence of psychosis.		
Bipolar, current episode is manic & mild	HCC 58	F31.11
Bipolar; current episode is; manic & moderate	HCC 58	F31.12
manic & severe WITHOUT psychotic features	HCC 58	F31.13
manic & severe and WITH psychotic features	HCC 58	F31.2
Bipolar, current episode depressed & mild	HCC 58	F31.31
current episode depressed & moderate	HCC 58	F31.32
depressed but WITHOUT psychotic features	HCC 58	F31.4
depressed and WITH psychotic features	HCC 58	F31.5
Bipolar, current episode mixed (manic & dep.) mild	HCC 58	F31.61
Bipolar; current episode mixed & moderate	HCC 58	F31.62
mixed & severe, WITHOUT psychotic features	HCC 58	F31.63
mixed & severe, and WITH psychotic features	HCC 58	F31.64
Bipolar, current episode hypomanic	HCC 58	F31.0
Bipolar Disorders IN REMISSION (Partial or Full Remission)		
Bipolar PARTIAL remission		Bipolar FULL remission
hypomanic	HCC 58	F31.71
manic	HCC 58	F31.73
depressed	HCC 58	F31.75
mixed	HCC 58	F31.77
Bipolar II disorder		F31.81
	HCC 58	
Manic Episode F30		
Manic episode w/o psychotic symptoms mild	HCC 58	F30.11
Manic episode w/o psychotic symptoms moder	HCC 58	F30.12
Manic episode w/o psychotic symptoms severe	HCC 58	F30.13
Manic episode with psychotic symptoms severe	HCC 58	F30.2
Other manic episodes (like hypomania)	HCC 58	F30.8
Manic episode in PARTIAL remission	HCC 58	F30.3
Manic episode in FULL remission	HCC 58	F30.4
Manic episode, unspecified	HCC 58	F30.9

Major Depressive Disorders (MDD)		Code
MDD, single episode code choices		
"Single episode" is the first-ever episode. DSM-5, pg 162: Dx code for MDD based on single vs recurrent and severity.		
MDD, single episode; (The patient's 1st Dx of MDD - may last m		
MDD, single episode; mild severity	HCC 58	F32.0
MDD, single episode, moderate severity	HCC 58	F32.1
MDD, single; severe, w/o psychotic symptoms	HCC 58	F32.2
MDD, single; severe, w/ psychotic symptoms	HCC 58	F32.3
MDD, single episode; in PARTIAL remission	HCC 58	F32.4
MDD, single episode; in FULL remission	HCC 58	F32.5
Depression, Unspecified (not MDD above)		F32.A
MDD, recurrent episode code choices (more common than single episode)		
An "episode" likely to last many mos/years. DSM-5, pg 162: "recurrent" = interval of ≥ 2 consecutive months between		
MDD, recurrent episode; mild	HCC 58	F33.0
MDD, recurrent episode; moderate severity	HCC 58	F33.1
MDD, recurrent; severe, w/o psychotic symptom	HCC 58	F33.2
MDD, recurrent; severe, w/ psychotic symptoms	HCC 58	F33.3
MDD, recurrent episode in PARTIAL remission	HCC 58	F33.41
MDD, recurrent episode in FULL remission	HCC 58	F33.42
MDD, other recurrent depressive disorder (specific)	HCC 58	F33.8
MDD, recurrent episode, unspecified	HCC 58	F33.9
Other Depressive Episodes		
Premenstrual dysphoric disorder	No	F32.81
Other specified depressive episode		F32.89
F Obsessive-compulsive disorder (OCD) F42		
Mixed obsession thoughts and acts		F42.2
Hoarding disorder		F42.3
Excoriation (skin-picking) disorder		F42.4
Other obsessive-compulsive dis.		F42.8
Obsessive-compulsive disorder, unspecified	avoid	F42.9
Persistent mood (affective) disorders F34		
Cyclothymic disorder		F34.0
Dysthymic disorder DSM5 = persistent depressive		F34.1
Disruptive mood dysregulation disorder	HCC 58	F34.81
Other specified persistent mood disorder	HCC 58	F34.89
Mood disorder, unspec. (Active psychosis)	HCC 58	F39
Personality Disorders F60		
Antisocial		F60.2
Avoidant		F60.6
Borderline		F60.3
Dependent		F60.7
Histrionic		F60.4
Narcissistic		F60.81
Obsessive-compulsive		F60.5
Paranoid		F60.0
Schizoid		F60.1
Schizophrenia/Schizoaffective		
Paranoid	HCC 57	F20.0
Disorganized	HCC 57	F20.1
Catatonic	HCC 57	F20.2
Undifferentiated	HCC 57	F20.3
Residual	HCC 57	F20.5
Schizophreniform disorder	HCC 57	F20.81
Schizophrenia (documented but no code exists)	HCC 57	F20.89
Schizoaffective disorder, bipolar type	HCC 57	F25.0
depressive type	HCC 57	F25.1

PSYCHIATRIC AND RELATED CONDITIONS

Screening for Mental Health and Behavioral Disorders

Screening; mental health&behavioral disorders, unspecified	Z13.30
depression	Z13.31
maternal depression	Z13.32
other mental health and behavioral disorders	Z13.39
autism	Z13.41

Factitious Disorders

Factitious disorder imposed on self; unspecified	F68.10
with predominantly psychological signs and symptoms	F68.11
with predominantly physical signs and symptoms	F68.12
with combined psychological physical signs and symptoms	F68.13
Factitious disorder imposed on another	F68.A

CHILD MALTREATMENT

Replace dash with **A** -initial, **D** -FU or **S** -sequela

Child physical abuse, confirmed	T74.12X -
Psychological abuse, confirmed	T74.32X -
Sexual abuse, confirmed	T74.22X -
Child neglect	T74.02X -
Shaken infant syndrome	T74.4XX -
Sexual exploitation, confirmed	T74.52X-
Sexual exploitation, suspected	T76.52X-
Labor exploitation, confirmed	T74.62X-
Labor exploitation, suspected	T76.62X-

Other Child Dx's

Autistic disorder	F84.0
Heller's syndrome	F84.3
Child psychosis NOS	F84.9
Schizophrenia, childhood type	F84.5

Child Conduct Disorders

Oppositional defiant disorder	F91.3
Adolescent onset type	F91.2
Childhood onset type	F91.1
Other conduct disorders	F91.8
Unspecified	F91.9

Disorder - Social Functioning Child/Adolescence

Selective mutism	F94.0
Reactive attachment disorder	F94.1
Disinhibited attachment disorder	F94.2
Other childhood disorder	F94.8

Child - Additional Social Status Dx's

Parent child problems, unspecified.	Z71.89
Parent-biological child problem	Z71.89
Counseling-parent-adopted child problem	Z71.89
Counseling-parent-foster child problem	Z71.89
Other parent-child problems	Z62.820
Other specific problem related to upbringing	Z62.898
Alcoholism in family	Z63.72
Substance abuse in family	Z63.72
Other psychosocial circumstances	Z65.8
Social maladjustment	Z60.3
Legal circumstances	Z65.3
Refusal of tx for religious reasons	Z53.1
Relational problem, NOS	Z65.8
Bereavement, uncomplicated	Z63.4
Counseling perpetrator of physical/sexual abuse	Z69.021
Religious or spiritual problem	Z65.8
Life circumstance problem	Z65.8

Personal History of Mental Disorders (Any age)

Affective disorders	Z86.59
Neurosis	Z86.59
Alcoholism	F10.21
Combat and operational stress	HCC 55 Z86.51

ADULT MALTREATMENT

Replace dash with **A** -initial, **D** -FU or **S** -sequela

Adult physical abuse, confirmed	T74.11X -
Psychological abuse, confirmed	T74.31X -
sexual	T74.21X -
other abuse and neglect	T74.01X -
Adult neglect (nutritional)	T74.01X -
Sexual exploitation, confirmed	T74.51X-
Sexual exploitation, suspected	T76.51X-
Labor exploitation, confirmed	T74.61X-
Labor exploitation, suspected	T76.61X-

Adult Related Info Dx Codes

Perpetrator of spousal/partner abuse	Z69.12
Parent child problems, unspecified.	Z71.89
Perpetrator of parental child abuse	Z69.011
Parent-biological child problem	Z71.89
Counseling: parent-adopted child problem	Z71.89
Counseling: parent-foster child problem	Z71.89
Parental overprotection	Z62.1
Problems with aged parents or in-laws	Z63.79
Alcoholism in family	Z63.72
Substance abuse in family	Z63.72
Personal current military deployment	Z65.8
Personal Hx return from military deploy	Z65.5
Occupational concerns, loss of job	Z56.0
Change of job	Z56.1
Threat of loss of job	Z56.2
Stressful work schedule	Z56.3
Discord with boss and workmates	Z56.4
Difficult conditions at work	Z56.5
Other physical and mental strain	Z56.6
Social maladjustment	Z60.3
Legal circumstances	Z65.3
Refusal of tx for religious reasons	Z53.1
Bereavement (disappearance/death)	Z63.4
Religious or spiritual problem	Z65.8
Life circumstance problem	Z65.8
Person awaiting admission to facility	Z75.0

Exploitation Dx Codes (Any age)

Exam and observation; following forced sexual exp	Z04.81
following forced labor exploitation	Z04.82
Forced labor or sexual exploitation in childh	Z62.813
Forced labor or sexual exploitation	Z91.42

Emotional State Dx Codes (Any age)

Nervousness	R45.0
Irritability & Anger	R45.4
Impulsiveness	R45.87
Emotional Liability	R45.86
Demoralization/Apathy	R45.3
Other emotional state	R45.89

PSYCHIATRIC AND RELATED CONDITIONS

Other/Miscellaneous Dx's (Any Age)

Insomnia	G47.00
Hypersomnia <i>Several codes available Check F51.0 - F51.9</i>	F51.11
Self mutilation (personal hx)	Z91.5
Noncompliance	Z91.19
Anorexia nervosa	F50.00
Bulimia nervosa	F50.2
Intellectual Disabilities; mild	F70
moderate	F71
severe	F72
profound	F73

PSYCHIATRIC AND RELATED CONDITIONS

Signs and Symptoms (Any age)

Signs and Symptoms (Any age)	Code
Memory loss	R41.3
Excessive crying	R45.83
Altered mental status	R41.82
Other general symptoms	R68.89
Lack of coordination	R27.9
Abnormal weight gain	R63.5
Abnormal weight loss	R63.4
Other speech disturbance	R47.89
Senility w/o mention psychosis	R41.81
Headache	R51
Sleep disturbance	G47.9
Hallucinations	R44.3
Dizziness/giddiness	R42
Decreased libido	R68.82
Fatigue	R53.83
Generalized pain	R52
Night terrors (child)	F51.4

"PROVISIONAL DX" / "RULE OUT DX" TODAY??

ICD-10 Guidelines prohibit assignment of a diagnosis when that Dx. is only being "considered" at this time. Report Signs/Symptoms when definite DX is absent. One might consider assignment of R69 in cases where a definitive diagnosis cannot yet be assigned. R69 May or may not represent reimbursement problems, Coder/biller should monitor.

Mental illness, NOS	F99
Illness, unspecified	R69

Personal History of Abuse in Childhood (Excludes Current)

physical and sexual abuse	Z62.810
psychological abuse	Z62.811
neglect	Z62.812
forced labor or sexual exploitation	Z62.813
unspecified abuse	Z62.819

Report **Nicotine influence** with T2DM: ie, Current cigarette smoker F17.210. See page 25 for other nicotine coding options.

Use additional code(s) to identify manifestations of vaping-related disorders

Other Patient Noncompliance Diagnoses

Other med. noncompliance (e.g., self overdosing)	Z91.14
Noncompliance involving other than medication	Z91.19
Noncompliance with diet	Z91.11

Cognitive Defects (Any age)

Attention/concentration	R41.840
Cognitive communication	R41.841
Visuospatial	R41.842
Psychomotor	R41.843
Frontal lobe/executive function	R41.844
Other cognitive deficits	R41.89
Dementia in disease classified elsewhere	F02.80
Code first, underlying condition	code first
with behavioral disturbances	F02.81

(OB) Puerperium Mental & Behavioral Disorders

Postpartum depression	F53.0
Periparturient psychosis	F53.1

Underdosing of Prescribed Medication by Patient (requires 2 codes)

Refer these cases to coder for code assignment

Code first, underdosing of medication (T36-T50) with fifth or sixth character of "6", then code intent and reason (below)

1. Look up med or med class in ICD TXX.XXX -

When assigning the "T" code, the 7th character will be;

"A" Initial eval of this med management, "D" FU or "S" Sequela

Patient Medication Noncompliance by Self Underdosing of;

Replace dash (-) w/ A =initial (active tx); D = FU (healing); or S =sequela

tetracyclic antidepressants	T43.026 -
tricyclic antidepressants	T43.016 -
other antidepressant	T43.296 -
antipsychotics (phenothiazine)	T43.3x6 -
amphetamines	T43.626 -
other psychostimulant	T43.696 -
antipsychotics and neuroleptics	T43.596 -
barbiturates	T42.3x6 -
benzodiazepines	T42.4x6 -
butyrophenone/thiothixene narcoleptics	T43.4x6 -
cannabis	T40.7x6 -
MAOIs	T43.1x6 -
methadone	T40.3x6 -
methyphenidate (ADD)	T43.636 -
narcotics (synthetic)	T40.4x6 -
opium	T40.0x6 -
other opioid	T40.2x6 -
psychotropic (other)	T43.8x6 -
SSRIs	T43.226 -

2. Code also intent and reason from self underdosing

INTENTIONAL underdosing of med(s) by patient;

due to financial hardship	Z91.120
for any other reason	Z91.128

UNINTENTIONAL underdosing by patient;

due to age-related debility	Z91.130
for any other reason	Z91.138

INJURIES (Fractures, Burns, Lacerations)

(A=Initial/Active treatment. D=Subsequent/Healing. S=Sequela)

UPPER EXTREMITY	RIGHT	LEFT
SHOULDER/HUMERUS: Replace dash with 7th character EOC; A=Initial/Active Tx, D=Subseq/healing, S=Sequela		
	RIGHT	LEFT
Contusion: shoulder	S40.011-	S40.012-
Upper arm	S40.021-	S40.022-
Pain in shoulder	M25.511	M25.512
Stiffness, shoulder	M25.611	M25.612
Sprain, rotator cuff	S43.421-	S43.422-
Strain, rotator cuff	S46.011-	S46.012-
biceps, long head	S46.111-	S46.112-
Swelling (disorder, soft tissue)	M79.9	M79.9
Joint effusion, shoulder	M25.411	M25.412
Fractures EMR Search: FX, L/R bone, closed, nondisplaced & EOC		
Dislocation shoulder [more detail available]	S43.004-	S43.005-
Recurrent dislocation shoulder	M24.411	M24.412
ELBOW: Replace dash with 7th character EOC A=Initial/Active Tx, D=Subseq/healing, S=Sequela		
Contusion	S50.01X-	S50.02X-
Pain	M25.521	M25.522
Stiffness	M25.621	M25.622
Sprain, elbow [more detail available]	S53.401-	S53.402-
Swelling (soft tissue)	M79.9	M79.9
Elbow joint effusion	M25.421	M25.422
Fractures EMR Search: FX, L/R bone, closed, nondisplaced & EOC		
Nursemaid elbow	S53.031-	S53.032-
WRIST: Replace dash with 7th character EOC; A=Initial/Active Tx, D=Subseq/healing, S=Sequela		
Contusion	S60.211-	S60.212-
Pain	M25.531	M25.532
Stiffness	M25.631	M25.632
Sprain, wrist [more detail available]	S63.501-	S63.502-
Swelling (soft tissue)	M79.9	M79.9
Wrist joint effusion	M25.431	M25.432
Carpal tunnel syndrome	G56.01	G56.02
Ganglion cyst	M67.431	M67.432
Laceration, forearm, without foreign body	S51.811-	S51.812-
Burn, forearm, second degree	T22.211-	T22.212-
Fractures EMR Search: FX, L/R bone, closed, nondisplaced & EOC		
Fx: distal radius, non-displaced	S52.501-	S52.502-
Fx: Colles'	S52.531-	S52.532-
HAND: Replace dash with 7th character EOC; A=Initial/Active Tx, D=Subseq/healing, S=Sequela		
Contusion	S60.221-	S60.222-
Pain	M79.641	M79.642
Pain in finger(s)	M79.644	M79.645
Stiffness	M25.641	M25.642
Sprain unspecified part(s) hand	S63.91X-	S63.92X-
Sprain finger, unspecified finger/region	S63.619-	S63.619-
Hand joint effusion	M25.441	M25.442
Burn, palm, second degree	T23.251-	T23.252-
Burn, palm, third degree	T23.351-	T23.352-
Laceration, hand, without foreign body	S61.411-	S61.412-
Laceration, thumb, without foreign body	S61.011-	S61.012-
Fractures EMR Search: FX, L/R bone, closed, nondisplaced & EOC		
FX 5th metacarpal shaft, nondisplaced,	S62.356-	S62.357-
FX navicular, w/o specificity [many choices]	S62.001-	S62.002-
FX phalanx, index, nondisplaced	S62.600-	S62.601-
Joint effusion, hand	M25.441	M25.442
Joint (wrist) effusion	M25.431	M25.432

LOWER EXTREMITY	RIGHT	LEFT
KNEE: Replace dash with 7th character EOC; A=Initial D=FU & S=Sequela		
	RIGHT	LEFT
Contusion of the knee	S80.01X-	S80.02X-
Pain	M25.561	M25.562
Stiffness	M25.661	M25.662
Sprain, CRUCIATE ligament, unspecified	S83.501-	S83.502-
Sprain, LATERAL collateral ligament	S83.421-	S83.422-
Sprain, MEDIAL collateral ligament	S83.411-	S83.412-
Tear, meniscus, undescribed	S83.206-	S83.207-
Subluxation, lateral patella	S83.011-	S83.012-
Joint effusion knee	M25.461	M25.462
Swelling - soft tissue disorder	M79.9	M79.9
Laceration, knee, without foreign body	S81.011-	S81.012-
Fractures EMR Search: FX, L/R bone, closed, nondisplaced & EOC		
Patella fx	S82.001-	S82.002-
ANKLE: Replace dash with 7th character EOC; A=Initial/Active Tx, D=Subseq/healing, S=Sequela		
Contusion	S90.01X-	S90.02X-
Pain	M25.571	M25.572
Stiffness	M25.671	M25.672
Sprain; deltoid ligament	S93.421-	S93.422-
calcaneofibular ligament	S93.411-	S93.412-
tibiofibular ligament	S93.431-	S93.432-
other specified ligament (eg., talofibular)	S93.491-	S93.492-
Joint effusion, ankle	M25.471	M25.472
Swelling (soft tissue)	M79.9	M79.9
Burn, calf, second degree	T24.231-	T24.232-
Laceration, ankle, without foreign body	S91.011-	S91.012-
Fractures EMR Search: FX, L/R bone, closed, nondisplaced & EOC		
Dislocation	S93.04X-	S93.05X-
FOOT/TOES: Replace dash with 7th character EOC; A=Initial/Active Tx, D=Subseq/healing, S=Sequela		
Contusion	S90.31X-	S90.32X-
Pain	M25.571	M25.572
Stiffness	M25.674	M25.675
Sprain [more detail available]	S93.601-	S93.602-
Joint effusion, foot	M25.474	M25.475
Swelling, skin and subcutaneous tissue	R22.41	R22.42
Laceration, foot, without foreign body	S91.311-	S91.312-
Laceration, foot, with foreign body	S91.321-	S91.322-
Fractures EMR Search: FX, L/R bone, closed, nondisplaced & EOC		
FX great toe, displaced, unspec phalanx	S92.401-	S92.402-
FX, lesser toe, displaced, unspec phalanx	S92.501-	S92.502-
FX, 1st metatarsal, displaced	S92.311-	S92.312-
CERVICAL SPINE: Replace dash with 7th character EOC; A=Initial/Active Tx, D=Subseq/healing, S=Sequela		
Contusion	S10.93X-	
Pain - Cervicalgia	M54.2	
Stiffness	M43.6	
Sprain cervical ligament(s)	S13.4XX-	
Strain muscles, fascia and tendons neck	S16.1XX-	
Swelling, skin and subcutaneous tissue	R22.1	
Injury (undefined)	S19.9XX-	
Radiculopathy	M54.12	

INJURIES (Fractures, Burns, Lacerations)

(A=Initial/Active treatment. D=Subsequent/Healing. S=Sequela)

LUMBAR SPINE: Replace dash with 7th character EOC

A=Initial/Active Tx, D=Subseq/healing, S=Sequela

Contusion	S30.0XX-
Pain, low back, w/sciatica, right side	M54.41
Pain, low back, w/sciatica, left side	M54.42
Pain, low back, without sciatica	M54.5
Sprain ligament(s)	S33.5XX-
Strain muscles, fascia, tendons, low back	S39.012-
Swelling, soft tissue	M79.9
Fx, vertebra due to osteoporosis	M80.08X-
Radiculopathy, lumbar	M54.16
lumbosacral	M54.17
Burn, lower back, second degree	T21.24X-

PELVIS & FEMUR: Replace dash with 7th character EOC

	RIGHT	LEFT
Contusion, pelvis	S30.0XX-	S30.0XX-
Contusion, thigh	S70.11X-	S70.12X-
Pain, thigh	M79.651	M79.652
Strain, thigh [more detail available]	S76.911-	S76.912-
Strain, hip	S76.011-	S76.012-
Burn, thigh, second degree	T24.211-	T24.212-
Sprain, hip [more detail available]	S73.101-	S73.102-
Effusion, hip	M25.451	M25.452

Fractures EMR Search: FX, L/R bone, closed, nondisplaced & EOC

Burns: EMR Search: burn, second degree, right palm & EOC	
Second degree palm; initial eval.	T23.251- T23.252-
Code also percent of body surface burned	Code Also
Less than 10% of body surface burned	T31.0
10% - 19% of body surface burned	T31.10
20% - 29% of body surface burned, add	T31.20

PHYSICAL ABUSE DIAGNOSIS CODES - Replace dash w/7th char

A=Initial/active tx D=FU/healing & S=Sequela

Suspected abuse;	
physical abuse of an adult	T76.11x-
sexual abuse of adult	T76.21x-
physical abuse of a child	T76.12x-
sexual abuse of a child	T76.22x-
Confirmed abuse;	
physical abuse of adult	T74.11x-
sexual abuse of adult	T74.21x-
physical abuse of a child	T74.12x-
sexual abuse of a child	T74.22x-

LACERATIONS

Lacerations: Generally right/left specific, with or w/o foreign body. Fingers are specific, e.g. index, little, middle, ring; thumb has it's own section. All with or w/o nail damage.

Replace dash with 7th character EOC; A=Initial/Active Tx,

	RIGHT	LEFT
D=Subseq/healing, S=Sequela		
foot, except toes:	S91.311-	S91.312-
with foreign body	S91.321-	S91.322-
forehead	S01.81X-	
with foreign body	S01.82X-	
eyelid w/o foreign body	S01.111-	S01.112-
ear	S09.91X-	
scalp w/o foreign body	S01.01X-	
with foreign body	S01.02X-	
face, unsp	S09.93X-	
hand	S61.411-	S61.412-
with foreign body	S61.421-	S61.422-
knee	S81.011-	S81.012-
with foreign body	S81.021-	S81.022-
thumb	S61.011-	S61.012-
with foreign body	S61.021-	S61.022-
with damage to nail	S61.111-	S61.112-
with foreign body and nail damage	S61.121-	S61.122-

OTHER MISCELLANEOUS INJURIES

Black Eye NOS	S00.11X-	S00.12X-
Foreign body		
eye	T15.91X-	T15.92X-
ear	T16.1XX-	T16.2XX-
nose	T17.-XX-	
pharynx	T17.2 - - -	
Frostbite		
face	T33.0 - - -	
hand	T33.5 - - -	
foot	T33.8 - - -	
Heatstroke	T67.0XX-	
Disruption of wound		
internal surgical wound	T81.32X-	
external surgical wound	T81.31X-	

SOCIAL DETERMINANTS OF HEALTH (SDoH)				
Education and Literacy		Code	Primary Support Group,Family Circumstances	Code
Illiteracy and low-level literacy		Z55.0	Problems in relationship with spouse/partner	Z63.0
Underachievement in school		Z55.3	Absence of family member due to military deployment	Z63.31
Edu. maladjustment, discord w/ teachers		Z55.4	Other absence of family member	Z63.32
Other problems r/t education and literacy		Z55.8	Disruption of family by separation and divorce	Z63.5
Problems related to education & literacy, unspecified		Z55.9	Stress on family d/t return of family member from military deployment	Z63.71
Employment and Unemployment			Alcohol/drug addiction in family	Z63.72
Unemployment, unspecified		Z56.0	Problem r/t primary support group, unspecified	Z63.9
Change of job		Z56.1	Other Psychosocial Circumstances	
Threat of job loss		Z56.2	Conviction civil/criminal proceedings w/o imprisonment	Z65.0
Stressful work schedule		Z56.3	Imprisonment and other incarceration	Z65.1
Discord with boss and workmates		Z56.4	Problems related to release from prison	Z65.2
Uncongenial work environment		Z56.5	Problems related to other legal circumstances	Z65.3
Other physical and mental strain related to work		Z56.6	Victim of a crime and terrorism	Z65.4
Occupational exposure to risk factors			Lifestyle	
Noise		Z57.0	Lack of physical exercise	Z72.3
Radiation		Z57.1	Inappropriate diet and eating habits	Z72.4
Dust		Z57.2	High risk sexual behavior	
Environmental tobacco smoke		Z57.31	heterosexual behavior	Z72.51
Other air contaminants		Z57.39	homosexual behavior	Z72.52
Toxic agents in agriculture		Z57.4	bisexual behavior	Z72.53
Toxic agents in other industries		Z57.5	Anti-social behavior	
Extreme temperature		Z57.6	child and adolescent antisocial behavior	Z72.810
Vibration		Z57.7	adult antisocial behavior	Z72.811
Other risk factors		Z57.8	Problem r/t sleep	
Unspecified risk factor		Z57.9	sleep deprivation	Z72.820
Housing and Economic Circumstances			inadequate sleep hygiene	Z72.821
Homelessness, sheltered		Z59.01	Life Management Difficulty	
Homelessness, unsheltered		Z59.02	Burn-out	Z73.0
Inadequate housing		Z59.1	Type A behavior pattern	Z73.1
Problems r/t in residential institution		Z59.3	Stress, NEC	Z73.3
Food insecurity		Z59.41	Inadequate social skills, NEC	Z73.4
Inadequate/lack of food		Z59.48	Social role conflict, NEC	Z73.5
Extreme poverty		Z59.5	Limitation of activities due to disability	Z73.6
Low income		Z59.6	Care Provider Dependency	
Insufficient social insurance and welfare support		Z59.7	No household member to render care	Z74.2
Housing instability, housed w/risk of homelessness		Z59.811	Medical Facilities and Other Health Care	
Housing instability, housed, homeless in last 12 months		Z59.812	Holiday relief care	Z75.5
Social Environment			Personal Risk Factors, NEC	
Empty nest syndrome		Z60.0	Personal history of adult physical and sexual abuse	Z91.410
Problems related to living alone		Z60.2	Personal history of adult psychological abuse	Z91.411
Acculturation difficulty		Z60.3	Dependence on Enabling Machines/Devices, NEC	
Social exclusion and rejection		Z60.4	Wheelchair dependence <i>Code cause of dependence</i>	Z99.3
Other problems related to social environment		Z60.8	Dependence on supplemental oxygen	Z99.81
Upbringing			Z codes may be used as either a first-listed or secondary code. Some codes may only be used as first-listed. Codes describing social determinants of health (SDoH) should be assigned when this information is documented by clinicians involved in the care of the patient who are not the patient's provider.	
Foster care (status)		Z62.21		
Institutional upbringing		Z62.22		
Other upbringing away from parents		Z62.29		
Personal history of abuse in childhood <i>Excludes current</i>				
physical and sexual abuse		Z62.810		
psychological abuse		Z62.811		
neglect		Z62.812		
forced labor or sexual exploitation		Z62.813		
unspecified abuse		Z62.819		
Parent-child conflict		Z62.82		